

Luminaire

Code 05-E026-34-EH
Name NEMESIS


Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical
Rectangular Luminaire		Length	168 mm	Width	70 mm	Height	1 mm
Rectangular Luminous Area		Length	140 mm	Width	50 mm	Height	0 mm
Horizontal Luminous Area		0.007000 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001693 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		01-10-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		708.62 lm	
Operator		qualitat		Rated Voltage			
Temperature		25.00 °C		Rated Current			
Humidity		60.00 %		Photocell			
Notes							

Line		Code		Luminaire Sources		Flux [lm]	Pow. [W]	Q.ty
		05-E026-34-EH		Name 05-E026-14-EH		833.56	12.60	1
C.I.E.	54 84 97 50 100			D DIN 5040	C41			
F UTE	0.50 D + 0.50 T			B NBN	BZ 3 / 0.6 / BZ 4			

168mm x 70mm




C Halfplanes

180.0 — 0.0
270.0 — 90.0

ULOR 50.00 %

DLOR 50.00 %

RN 50.00 %



Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical			
Luminous Intensity Table cd/klm														Table 1/18	
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00		
G 0.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38
G 1.0	232.51	232.58	232.64	232.68	232.71	232.72	232.74	232.79	232.90	233.14	233.51	233.94	234.30	234.30	234.30
G 2.0	230.53	230.55	230.56	230.58	230.73	230.91	231.06	231.16	231.35	231.80	232.60	233.47	234.02	234.02	234.02
G 3.0	228.36	228.37	228.37	228.38	228.51	228.72	229.01	229.38	229.82	230.33	230.87	231.38	231.79	231.79	231.79
G 4.0	225.58	225.72	225.87	226.04	226.24	226.49	226.82	227.26	227.83	228.55	229.41	230.31	231.07	231.07	231.07
G 5.0	222.47	222.67	222.86	223.06	223.27	223.56	224.01	224.69	225.58	226.68	227.92	229.11	230.01	230.01	230.01
G 6.0	218.54	218.98	219.40	219.80	220.18	220.64	221.29	222.19	223.29	224.46	225.60	226.67	227.65	227.65	227.65
G 7.0	214.92	215.29	215.69	216.16	216.72	217.40	218.23	219.23	220.39	221.71	223.13	224.56	225.86	225.86	225.86
G 8.0	211.12	211.82	212.47	213.01	213.44	213.94	214.73	215.99	217.57	219.26	220.90	222.45	223.89	223.89	223.89
G 9.0	206.72	207.45	208.16	208.83	209.48	210.26	211.38	212.94	214.80	216.71	218.48	220.12	221.67	221.67	221.67
G 10.0	202.71	203.32	203.94	204.57	205.25	206.15	207.45	209.27	211.44	213.70	215.81	217.75	219.51	219.51	219.51
G 11.0	197.91	198.76	199.57	200.34	201.06	201.97	203.32	205.28	207.66	210.14	212.48	214.71	216.88	216.88	216.88
G 12.0	193.16	194.06	194.95	195.83	196.74	197.86	199.41	201.54	204.08	206.79	209.45	212.03	214.49	214.49	214.49
G 13.0	188.49	189.10	189.82	190.75	191.99	193.56	195.47	197.73	200.28	203.05	205.97	208.93	211.83	211.83	211.83
G 14.0	183.00	184.03	185.08	186.19	187.42	188.92	190.91	193.50	196.51	199.65	202.72	205.72	208.70	208.70	208.70
G 15.0	177.73	178.65	179.65	180.83	182.28	184.10	186.41	189.27	192.53	195.96	199.40	202.79	206.14	206.14	206.14
G 16.0	171.76	172.92	174.15	175.54	177.18	179.17	181.63	184.64	188.06	191.74	195.52	199.32	203.09	203.09	203.09
G 17.0	166.10	167.29	168.57	170.01	171.71	173.84	176.59	180.05	183.98	188.06	192.03	195.89	199.68	199.68	199.68
G 18.0	159.75	161.15	162.62	164.24	166.11	168.41	171.35	175.06	179.28	183.66	187.91	192.05	196.16	196.16	196.16
G 19.0	153.64	155.01	156.51	158.26	160.38	163.02	166.33	170.36	174.87	179.52	184.03	188.45	192.84	192.84	192.84
G 20.0	147.33	148.83	150.44	152.30	154.52	157.29	160.81	165.17	170.06	175.09	179.95	184.69	189.45	189.45	189.45
G 21.0	140.91	142.36	143.97	145.88	148.26	151.26	155.03	159.64	164.82	170.23	175.57	180.80	185.92	185.92	185.92
G 22.0	134.82	136.23	137.83	139.78	142.27	145.45	149.47	154.41	159.94	165.68	171.29	176.77	182.18	182.18	182.18
G 23.0	128.72	130.03	131.55	133.47	136.01	139.34	143.63	148.92	154.86	160.96	166.84	172.55	178.22	178.22	178.22
G 24.0	122.29	123.58	125.12	127.19	130.00	133.65	138.20	143.65	149.71	156.03	162.30	168.47	174.56	174.56	174.56
G 25.0	116.02	117.40	119.03	121.16	124.04	127.77	132.47	138.14	144.49	151.13	157.73	164.23	170.62	170.62	170.62
G 26.0	110.21	111.62	113.27	115.41	118.26	121.98	126.74	132.60	139.20	146.11	152.96	159.73	166.49	166.49	166.49
G 27.0	104.72	106.13	107.77	109.87	112.66	116.34	121.11	127.06	133.84	140.99	148.12	155.19	162.25	162.25	162.25
G 28.0	99.65	100.90	102.41	104.43	107.21	110.91	115.69	121.63	128.44	135.75	143.23	150.75	158.22	158.22	158.22
G 29.0	94.66	96.02	97.58	99.53	102.10	105.56	110.22	116.27	123.33	130.93	138.64	146.37	154.08	154.08	154.08
G 30.0	90.10	91.30	92.73	94.61	97.16	100.62	105.24	111.15	118.11	125.74	133.72	141.81	149.80	149.80	149.80
G 31.0	85.93	87.02	88.32	90.06	92.47	95.80	100.33	106.23	113.24	121.00	129.16	137.47	145.69	145.69	145.69
G 32.0	82.16	83.16	84.37	86.00	88.26	91.42	95.75	101.41	108.22	115.88	124.13	132.66	141.20	141.20	141.20
G 33.0	78.51	79.48	80.63	82.16	84.27	87.24	91.36	96.86	103.55	111.19	119.50	128.20	137.01	137.01	137.01
G 34.0	75.09	76.05	77.17	78.61	80.54	83.29	87.19	92.50	99.07	106.64	114.97	123.76	132.72	132.72	132.72
G 35.0	72.07	72.91	73.92	75.25	77.11	79.75	83.47	88.49	94.75	102.10	110.38	119.28	128.45	128.45	128.45
G 36.0	69.15	69.96	70.90	72.13	73.81	76.22	79.71	84.50	90.57	97.81	106.07	115.00	124.24	124.24	124.24
G 37.0	66.55	67.31	68.19	69.32	70.86	73.10	76.35	80.88	86.67	93.62	101.64	110.44	119.72	119.72	119.72
G 38.0	64.18	64.87	65.67	66.71	68.13	70.19	73.19	77.38	82.81	89.52	97.43	106.25	115.60	115.60	115.60
G 39.0	61.81	62.51	63.30	64.28	65.57	67.45	70.20	74.10	79.23	85.67	93.39	102.10	111.42	111.42	111.42
G 40.0	59.71	60.29	60.97	61.86	63.07	64.85	67.45	71.11	75.95	82.11	89.60	98.14	107.35	107.35	107.35
G 41.0	57.53	58.14	58.84	59.68	60.79	62.39	64.77	68.17	72.73	78.57	85.73	93.99	103.08	103.08	103.08
G 42.0	55.54	56.11	56.76	57.55	58.59	60.09	62.29	65.43	69.69	75.25	82.21	90.36	99.39	99.39	99.39
G 43.0	53.84	54.33	54.89	55.60	56.56	57.95	60.00	62.91	66.87	72.09	78.68	86.49	95.30	95.30	95.30
G 44.0	52.09	52.55	53.08	53.74	54.64	55.96	57.88	60.62	64.34	69.23	75.41	82.86	91.51	91.51	91.51
G 45.0	50.25	50.67	51.16	51.80	52.68	53.94	55.73	58.21	61.62	66.21	72.15	79.39	87.82	87.82	87.82
G 46.0	48.59	49.05	49.57	50.17	50.93	52.02	53.63	55.96	59.20	63.55	69.16	76.05	84.20	84.20	84.20
G 47.0	46.99	47.40	47.87	48.46	49.22	50.30	51.82	53.95	56.91	60.95	66.27	72.91	80.85	80.85	80.85
G 48.0	45.46	45.81	46.22	46.74	47.43	48.43	49.87	51.91	54.73	58.55	63.53	69.79	77.41	77.41	77.41
G 49.0	43.90	44.29	44.72	45.21	45.84	46.74	48.08	50.01	52.68	56.25	60.87	66.73	74.00	74.00	74.00
G 50.0	42.52	42.84	43.21	43.66	44.27	45.14	46.39	48.15	50.59	53.89	58.24	63.82	70.83	70.83	70.83
G 51.0	41.06	41.34	41.67	42.10	42.69	43.52	44.70	46.35	48.62	51.71	55.80	61.11	67.86	67.86	67.86
G 52.0	39.57	39.88	40.24	40.66	41.21	41.98	43.08	44.63	46.77	49.66	53.47	58.45	64.85	64.85	64.85
G 53.0	38.08	38.45	38.84	39.27	39.78	40.49	41.51	42.98	45.02	47.73	51.26	55.90	61.97	61.97	61.97
G 54.0	36.67	37.02	37.39	37.81	38.30	38.98	39.94	41.30	43.18	45.70	49.01	53.41	59.23	59.23	59.23
G 55.0	35.40	35.70	36.02	36.40	36.86	37.50	38.42	39.73	41.53	43.91	47.01	51.14	56.61	56.61	56.61
G 56.0	34.00	34.33	34.67	35.06	35.52	36.13	36.99	38.19	39.83	42.02	44.90	48.79	54.01	54.01	54.01
G 57.0	32.63	32.96	33.31	33.69	34.13	34.72	35.54	36.68	38.24	40.29	42.97	46.58	51.51	51.51	51.51
G 58.0	31.34	31.69	32.05	32.41	32.79	33.31	34.06	35.17	36.69	38.64	41.12	44.47	49.08	49.08	49.08
G 59.0	30.11	30.41	30.73	31.06	31.45	31.96	32.70	33.75	35.15	36.96	39.26	42.39	46.74	46.74	46.74
G 60.0	28.86	29.16	29.47	29.80	30.16	30.64	31.34	32.35	33.69	35.39	37.53	40.46	44.57	44.57	44.57
G 61.0	27.72	28.02	28.32	28.61	28.92	29.34	29.98	30.93							

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux	833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 2/18													
	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 0.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38
G 1.0	234.40	234.50	234.60	234.62	234.65	234.67	234.80	234.96	235.12	235.24	235.32	235.37	235.39
G 2.0	234.01	233.70	233.52	233.77	234.30	234.84	235.20	235.40	235.55	235.72	235.90	236.05	236.14
G 3.0	232.07	232.33	232.73	233.34	234.06	234.70	235.12	235.41	235.66	235.97	236.30	236.59	236.81
G 4.0	231.61	232.01	232.43	232.97	233.59	234.20	234.71	235.16	235.58	236.00	236.40	236.78	237.12
G 5.0	230.50	230.81	231.26	232.09	233.12	234.08	234.78	235.27	235.70	236.15	236.60	237.00	237.30
G 6.0	228.53	229.40	230.36	231.49	232.65	233.65	234.37	234.89	235.33	235.82	236.30	236.72	237.04
G 7.0	226.96	228.00	229.20	230.67	232.18	233.43	234.20	234.66	235.06	235.59	236.17	236.66	236.97
G 8.0	225.23	226.56	228.00	229.58	231.14	232.43	233.30	233.91	234.51	235.28	236.09	236.72	237.06
G 9.0	223.17	224.70	226.36	228.18	229.97	231.50	232.61	233.44	234.22	235.09	235.96	236.63	237.00
G 10.0	221.12	222.74	224.57	226.69	228.86	230.72	232.02	232.91	233.64	234.41	235.16	235.77	236.16
G 11.0	219.07	221.28	223.50	225.68	227.71	229.46	230.82	231.88	232.78	233.62	234.37	234.97	235.42
G 12.0	216.85	219.19	221.60	224.11	226.50	228.48	229.85	230.79	231.60	232.49	233.40	234.21	234.84
G 13.0	214.58	217.22	219.83	222.43	224.87	226.95	228.55	229.77	230.78	231.70	232.53	233.21	233.72
G 14.0	211.73	214.78	217.83	220.81	223.53	225.78	227.41	228.60	229.63	230.67	231.60	232.23	232.45
G 15.0	209.43	212.66	215.82	218.89	221.68	224.01	225.76	227.09	228.24	229.39	230.42	231.13	231.41
G 16.0	206.76	210.33	213.79	217.09	220.08	222.58	224.46	225.87	227.04	228.13	229.09	229.81	230.23
G 17.0	203.46	207.24	211.06	214.85	218.35	221.20	223.18	224.54	225.63	226.75	227.79	228.59	229.05
G 18.0	200.30	204.45	208.56	212.56	216.20	219.20	221.39	222.96	224.18	225.28	226.23	226.93	227.34
G 19.0	197.30	201.76	206.15	210.38	214.18	217.29	219.53	221.12	222.37	223.54	224.57	225.33	225.74
G 20.0	194.30	199.13	203.79	208.09	211.88	215.00	217.35	219.13	220.59	221.91	223.03	223.82	224.22
G 21.0	190.93	195.86	200.70	205.43	209.73	213.24	215.73	217.44	218.75	219.97	221.03	221.81	222.25
G 22.0	187.56	192.88	198.07	203.02	207.45	211.03	213.55	215.30	216.67	217.97	219.14	220.02	220.52
G 23.0	183.96	189.66	195.17	200.31	204.85	208.51	211.14	213.00	214.44	215.75	216.89	217.74	218.24
G 24.0	180.57	186.44	192.14	197.57	202.41	206.31	209.04	210.90	212.32	213.63	214.82	215.75	216.36
G 25.0	176.89	183.04	189.04	194.81	199.97	204.07	206.82	208.60	209.92	211.20	212.40	213.38	214.04
G 26.0	173.25	179.88	186.21	192.04	197.14	201.22	204.14	206.14	207.60	208.81	209.84	210.69	211.40
G 27.0	169.31	176.24	182.86	188.99	194.32	198.56	201.50	203.49	205.01	206.43	207.69	208.63	209.17
G 28.0	165.57	172.70	179.53	185.93	191.55	196.02	199.10	201.14	202.64	203.98	205.17	206.08	206.66
G 29.0	161.71	169.14	176.20	182.71	188.42	193.04	196.41	198.77	200.49	201.87	202.95	203.76	204.34
G 30.0	157.53	164.99	172.22	179.17	185.38	190.30	193.59	195.68	197.17	198.58	199.86	200.85	201.45
G 31.0	153.64	161.32	168.77	175.95	182.36	187.44	190.78	192.86	194.30	195.64	196.90	197.97	198.79
G 32.0	149.50	157.53	165.32	172.77	179.39	184.58	187.94	189.97	191.39	192.76	194.08	195.22	196.09
G 33.0	145.68	154.07	162.09	169.58	176.13	181.26	184.68	186.84	188.41	189.88	191.27	192.44	193.29
G 34.0	141.59	150.23	158.50	166.23	172.96	178.17	181.55	183.63	185.11	186.59	188.04	189.27	190.19
G 35.0	137.57	146.44	154.90	162.75	169.54	174.81	178.28	180.46	182.07	183.65	185.17	186.44	187.33
G 36.0	133.45	142.44	151.03	159.03	165.99	171.41	174.99	177.25	178.89	180.47	181.95	183.17	184.04
G 37.0	129.19	138.54	147.49	155.72	162.78	168.20	171.74	173.91	175.48	177.02	178.53	179.84	180.86
G 38.0	125.13	134.55	143.57	151.91	159.09	164.64	168.26	170.50	172.11	173.67	175.21	176.57	177.68
G 39.0	120.99	130.52	139.74	148.33	155.74	161.41	164.98	167.08	168.60	170.22	171.87	173.32	174.40
G 40.0	116.88	126.46	135.82	144.66	152.35	158.21	161.83	163.87	165.30	166.87	168.49	169.91	170.95
G 41.0	112.69	122.44	131.92	140.72	148.28	154.06	157.72	159.92	161.51	163.19	164.89	166.36	167.44
G 42.0	108.99	118.74	128.22	136.99	144.53	150.31	154.03	156.28	157.92	159.59	161.27	162.74	163.87
G 43.0	104.84	114.65	124.24	133.10	140.71	146.53	150.26	152.52	154.16	155.87	157.58	159.08	160.21
G 44.0	101.19	111.28	121.04	129.80	137.15	142.72	146.35	148.65	150.42	152.28	154.14	155.71	156.80
G 45.0	97.23	107.10	116.79	125.70	133.31	139.09	142.79	145.03	146.68	148.44	150.21	151.74	152.83
G 46.0	93.48	103.32	113.04	121.97	129.55	135.27	138.84	140.95	142.55	144.37	146.28	147.93	149.08
G 47.0	89.95	99.66	109.27	118.14	125.71	131.46	135.11	137.31	138.96	140.74	142.58	144.16	145.29
G 48.0	86.33	95.94	105.51	114.31	121.83	127.55	131.22	133.46	135.11	136.85	138.60	140.14	141.28
G 49.0	82.72	92.24	101.75	110.50	117.96	123.66	127.34	129.61	131.27	132.98	134.69	136.19	137.32
G 50.0	79.30	88.60	97.95	106.62	114.06	119.73	123.37	125.60	127.25	129.00	130.78	132.34	133.52
G 51.0	76.10	85.21	94.41	102.97	110.32	115.94	119.52	121.70	123.32	125.06	126.85	128.43	129.62
G 52.0	72.78	81.64	90.66	99.12	106.43	112.05	115.66	117.86	119.45	121.07	122.72	124.20	125.39
G 53.0	69.62	78.27	87.14	95.50	102.74	108.25	111.69	113.73	115.25	116.97	118.78	120.39	121.56
G 54.0	66.62	75.02	83.68	91.89	99.01	104.45	107.84	109.85	111.35	113.05	114.84	116.40	117.50
G 55.0	63.62	71.64	80.03	88.11	95.21	100.65	104.02	105.96	107.41	109.07	110.84	112.38	113.48
G 56.0	60.75	68.51	76.64	84.48	91.37	96.65	99.93	101.85	103.32	105.04	106.86	108.42	109.48
G 57.0	57.95	65.44	73.32	80.94	87.65	92.80	95.99	97.86	99.33	101.08	102.93	104.46	105.39
G 58.0	55.17	62.32	69.92	77.35	83.95	89.01	92.13	93.93	95.32	97.01	98.83	100.40	101.45
G 59.0	52.54	59.38	66.68	73.86	80.24	85.16	88.20	89.98	91.38	93.06	94.87	96.44	97.49
G 60.0	50.10	56.66	63.67	70.57	76.71	81.46	84.41	86.17	87.55	89.19	90.91	92.31	93.12
G 61.0	47.54	53.79	60.53	67.19	73.16	77.75	80.58	82.23	83.55	85.18	86.91	88.31	89.08
G 62.0	45.15	51.06	57.47	63.90	69.69	74.17	76.91	78.49	79.76	81.35	83.04	84.42	85.19
G 63.0	42.81	48.41	54.52	60.67	66.24	70.55	73.19	74.72	75.94	77.46	79.08	80.38	81.09
G 64.0	40.52	45.83	51.65	57.52	62.84	66.97	69.50	70.96	72.14	73.63	75.20	76.48	77.16
G 65.0	38.30	43.25	48.73	54.35	59.49	63.49	65.91	67.30	68.43	69.88	71.44	72.69	73.35
G 66.0	36.15	40.86	46.08	51.41	56.28	60.07	62.37	63.71	64.80	66.19	67.68	68.86	

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical			
Luminous Intensity Table cd/klm														Table 3/18	
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00		
G 0.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38
G 1.0	235.41	235.45	235.52	235.60	235.67	235.70	235.71	235.72	235.75	235.78	235.79	235.76	235.70	235.70	235.70
G 2.0	236.21	236.28	236.38	236.52	236.66	236.81	236.94	237.01	237.02	236.96	236.87	236.78	236.70	236.70	236.70
G 3.0	236.96	237.07	237.17	237.28	237.40	237.55	237.70	237.82	237.91	237.94	237.92	237.85	237.77	237.77	237.77
G 4.0	237.42	237.70	237.95	238.16	238.31	238.37	238.40	238.44	238.54	238.63	238.65	238.53	238.34	238.34	238.34
G 5.0	237.57	237.88	238.30	238.73	239.08	239.26	239.30	239.28	239.24	239.17	239.07	238.90	238.73	238.73	238.73
G 6.0	237.39	237.91	238.67	239.42	239.81	239.61	239.13	238.78	238.86	239.17	239.36	239.21	238.87	238.87	238.87
G 7.0	237.25	237.72	238.52	239.34	239.79	239.60	239.09	238.68	238.72	239.00	239.22	239.16	238.92	238.92	238.92
G 8.0	237.27	237.61	238.23	238.91	239.34	239.29	238.97	238.68	238.77	238.86	238.96	238.98	238.89	238.89	238.89
G 9.0	237.20	237.42	237.79	238.18	238.44	238.43	238.30	238.27	238.47	238.76	238.91	238.79	238.48	238.48	238.48
G 10.0	236.43	236.72	237.12	237.53	237.82	237.83	237.84	237.85	237.90	237.99	238.01	237.90	237.71	237.71	237.71
G 11.0	235.77	236.15	236.61	237.04	237.29	237.26	237.10	237.00	237.11	237.29	237.36	237.17	236.85	236.85	236.85
G 12.0	235.32	235.73	236.10	236.39	236.53	236.48	236.36	236.35	236.56	236.82	236.92	236.71	236.30	236.30	236.30
G 13.0	234.12	234.51	234.96	235.37	235.64	235.64	235.64	235.64	235.76	235.87	235.98	235.80	235.50	235.50	235.50
G 14.0	232.50	232.73	233.37	234.16	234.72	234.61	234.50	234.39	234.49	234.72	234.85	234.70	234.40	234.40	234.40
G 15.0	231.52	231.78	232.41	233.16	233.68	233.55	233.42	233.30	233.38	233.60	233.71	233.54	233.19	233.19	233.19
G 16.0	230.50	230.83	231.36	231.93	232.32	232.39	232.29	232.24	232.42	232.66	232.75	232.54	232.15	232.15	232.15
G 17.0	229.31	229.59	230.05	230.59	231.07	231.36	231.52	231.61	231.70	231.72	231.61	231.30	230.90	230.90	230.90
G 18.0	227.60	227.90	228.38	228.92	229.32	229.47	229.48	229.54	229.79	230.07	230.19	230.00	229.60	229.60	229.60
G 19.0	226.00	226.32	226.88	227.52	228.01	228.20	228.21	228.24	228.41	228.61	228.65	228.42	228.04	228.04	228.04
G 20.0	224.43	224.73	225.31	225.99	226.51	226.55	226.60	226.65	226.90	227.21	227.33	227.10	226.66	226.66	226.66
G 21.0	222.52	222.89	223.54	224.26	224.78	224.90	224.86	224.97	225.43	225.90	226.32	226.71	226.16	226.16	226.16
G 22.0	220.82	221.18	221.77	222.48	223.12	223.55	223.80	223.97	224.09	224.13	223.98	223.61	223.14	223.14	223.14
G 23.0	218.58	218.98	219.62	220.40	221.19	221.85	222.34	222.62	222.68	222.52	222.20	221.76	221.31	221.31	221.31
G 24.0	216.80	217.24	217.82	218.52	219.23	219.87	220.37	220.69	220.77	220.65	220.40	220.06	219.70	219.70	219.70
G 25.0	214.53	215.07	215.80	216.61	217.29	217.70	217.95	218.15	218.42	218.63	218.65	218.35	217.85	217.85	217.85
G 26.0	212.06	212.80	213.69	214.57	215.25	215.57	215.71	215.87	216.22	216.58	216.71	216.45	215.90	215.90	215.90
G 27.0	209.54	210.07	210.95	211.97	212.80	213.23	213.39	213.54	213.84	214.14	214.21	213.88	213.37	213.37	213.37
G 28.0	207.13	207.75	208.68	209.72	210.55	210.96	211.11	211.27	211.63	212.00	212.12	211.84	211.31	211.31	211.31
G 29.0	204.85	205.51	206.44	207.44	208.22	208.59	208.71	208.87	209.24	209.64	209.80	209.52	208.97	208.97	208.97
G 30.0	201.91	202.56	203.60	204.76	205.63	205.96	205.99	206.10	206.54	207.08	207.33	207.05	206.42	206.42	206.42
G 31.0	199.52	200.34	201.38	202.43	203.19	203.49	203.52	203.60	203.92	204.30	204.43	204.10	203.52	203.52	203.52
G 32.0	196.84	197.65	198.64	199.64	200.36	200.66	200.71	200.80	201.13	201.51	201.62	201.29	200.71	200.71	200.71
G 33.0	194.01	194.81	195.84	196.88	197.66	197.98	198.05	198.15	198.50	198.89	199.01	198.67	198.07	198.07	198.07
G 34.0	190.97	191.84	192.95	194.09	194.93	195.26	195.30	195.35	195.62	195.94	196.04	195.72	195.14	195.14	195.14
G 35.0	188.07	188.93	190.11	191.31	192.17	192.19	192.22	192.24	192.43	192.72	192.80	192.46	191.88	191.88	191.88
G 36.0	184.81	185.84	187.30	188.80	189.76	189.51	189.27	189.02	189.19	189.60	189.78	189.41	188.73	188.73	188.73
G 37.0	181.75	182.74	183.94	185.10	185.88	185.83	185.78	185.73	185.96	186.31	186.46	186.18	185.63	185.63	185.63
G 38.0	178.62	179.54	180.55	181.49	182.18	182.48	182.48	182.35	182.22	182.11	182.00	181.87	181.72	181.72	181.72
G 39.0	175.28	176.21	177.35	178.46	179.22	179.15	179.09	179.02	179.07	179.12	179.17	178.88	178.42	178.42	178.42
G 40.0	171.79	172.71	173.86	174.99	175.75	175.64	175.54	175.43	175.44	175.56	175.56	175.27	174.80	174.80	174.80
G 41.0	168.30	169.22	170.35	171.43	172.10	172.13	171.81	171.59	171.75	172.05	172.11	171.67	170.96	170.96	170.96
G 42.0	164.79	165.72	166.79	167.78	168.35	168.31	167.97	167.72	167.85	168.11	168.14	167.68	166.99	166.99	166.99
G 43.0	161.11	162.01	163.04	164.00	164.57	164.38	164.18	163.98	164.04	164.21	164.15	163.65	162.99	162.99	162.99
G 44.0	157.60	158.41	159.40	160.34	160.89	160.59	160.30	160.00	159.98	159.95	159.93	159.50	158.94	158.94	158.94
G 45.0	153.68	154.54	155.56	156.49	156.95	156.71	156.12	155.65	155.65	155.85	155.88	155.47	154.89	154.89	154.89
G 46.0	149.93	150.76	151.76	152.67	153.13	152.89	152.28	151.76	151.74	151.73	151.72	151.32	150.77	150.77	150.77
G 47.0	146.14	146.95	147.88	148.68	149.01	148.66	147.98	147.45	147.41	147.59	147.59	147.12	146.47	146.47	146.47
G 48.0	142.15	142.93	143.75	144.40	144.64	144.32	143.71	143.21	143.09	143.15	143.07	142.63	142.05	142.05	142.05
G 49.0	138.21	139.02	139.87	140.53	140.70	140.23	139.44	138.81	138.78	138.75	138.72	138.26	137.65	137.65	137.65
G 50.0	134.39	135.14	135.86	136.37	136.45	135.96	135.19	134.55	134.32	134.32	134.26	133.95	133.55	133.55	133.55
G 51.0	130.51	131.26	131.96	132.44	132.46	131.88	131.02	130.29	130.00	129.97	129.88	129.52	129.08	129.08	129.08
G 52.0	126.32	127.10	127.77	128.16	128.07	127.38	126.43	125.66	125.57	125.48	125.39	125.10	124.71	124.71	124.71
G 53.0	122.39	123.04	123.61	123.92	123.74	122.96	121.92	121.11	121.05	120.99	120.92	120.60	120.16	120.16	120.16
G 54.0	118.24	118.84	119.41	119.77	119.64	118.89	117.85	116.98	116.62	116.56	116.45	116.08	115.64	115.64	115.64
G 55.0	114.22	114.77	115.24	115.48	115.26	114.48	113.46	112.60	112.21	112.11	112.0				

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power			12.60 W	Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value			239.81 cd/klm	Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 4/18													
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 0.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38
G 1.0	235.66	235.64	235.62	235.53	235.36	235.20	235.16	235.30	235.50	235.55	235.34	234.99	234.70
G 2.0	236.62	236.61	236.61	236.61	236.36	236.04	235.84	235.84	235.91	235.86	235.56	235.12	234.72
G 3.0	237.74	237.70	237.67	237.63	237.17	236.62	236.24	236.21	236.33	236.34	236.06	235.58	235.06
G 4.0	238.18	238.11	238.06	237.90	237.56	237.17	236.88	236.80	236.77	236.57	236.07	235.42	234.82
G 5.0	238.60	238.54	238.45	238.21	237.73	237.20	236.84	236.77	236.79	236.60	236.00	235.16	234.38
G 6.0	238.58	238.51	238.52	238.37	237.91	237.31	236.86	236.70	236.67	236.48	235.93	235.16	234.38
G 7.0	238.65	238.49	238.36	238.13	237.71	237.23	236.82	236.59	236.39	236.04	235.39	234.56	233.69
G 8.0	238.72	238.50	238.23	237.87	237.44	236.99	236.60	236.31	236.01	235.54	234.80	233.89	232.95
G 9.0	238.14	237.90	237.67	237.36	236.90	236.40	236.01	235.83	235.67	235.28	234.49	233.44	232.34
G 10.0	237.53	237.41	237.27	237.00	236.55	236.03	235.62	235.40	235.20	234.74	233.85	232.67	231.42
G 11.0	236.58	236.48	236.42	236.22	235.76	235.17	234.67	234.38	234.13	233.71	232.92	231.86	230.67
G 12.0	235.90	235.64	235.44	235.17	234.74	234.24	233.80	233.48	233.16	232.64	231.81	230.72	229.51
G 13.0	235.22	235.08	234.94	234.64	234.06	233.38	232.87	232.66	232.53	232.14	231.23	229.95	228.53
G 14.0	234.15	234.06	233.96	233.63	232.92	232.09	231.49	231.35	231.33	230.98	229.97	228.52	226.99
G 15.0	232.86	232.68	232.52	232.24	231.72	231.11	230.61	230.35	230.07	229.44	228.24	226.67	225.06
G 16.0	231.78	231.57	231.43	231.22	230.84	230.35	229.82	229.32	228.73	227.91	226.75	225.37	223.92
G 17.0	230.53	230.29	230.05	229.66	229.01	228.30	227.76	227.54	227.34	226.77	225.56	223.92	222.21
G 18.0	229.16	228.81	228.47	228.03	227.42	226.77	226.26	225.99	225.70	225.06	223.86	222.26	220.56
G 19.0	227.66	227.42	227.17	226.74	226.00	225.14	224.42	223.99	223.65	223.10	222.12	220.75	219.11
G 20.0	226.24	225.99	225.78	225.38	224.65	223.77	222.98	222.44	221.99	221.37	220.38	219.03	217.38
G 21.0	223.44	223.44	223.73	223.67	222.83	221.57	220.50	220.00	219.80	219.41	218.49	217.13	215.55
G 22.0	222.75	222.54	222.33	221.89	221.07	220.10	219.31	218.91	218.60	217.99	216.77	215.05	213.04
G 23.0	220.96	220.79	220.58	220.07	219.10	217.93	216.93	216.35	215.95	215.37	214.33	212.85	211.02
G 24.0	219.33	218.99	218.57	217.92	216.98	215.95	215.09	214.54	214.09	213.38	212.16	210.51	208.59
G 25.0	217.31	216.82	216.28	215.51	214.44	213.30	212.46	212.10	211.86	211.25	209.90	208.00	205.86
G 26.0	215.25	214.63	213.99	213.22	212.27	211.25	210.35	209.67	209.03	208.20	207.00	205.44	203.56
G 27.0	212.94	212.75	212.44	211.53	209.76	207.72	206.23	206.12	206.02	205.91	204.92	203.17	201.01
G 28.0	210.79	210.45	210.10	209.46	208.35	207.01	205.81	204.98	204.31	203.45	202.14	200.41	198.35
G 29.0	208.36	207.86	207.33	206.57	205.45	204.20	203.12	202.40	201.80	200.93	199.52	197.64	195.48
G 30.0	205.75	205.25	204.76	204.03	202.91	201.61	200.45	199.63	198.91	197.97	196.55	194.70	192.57
G 31.0	202.95	202.58	202.22	201.57	200.44	199.07	197.83	196.96	196.20	195.22	193.72	191.79	189.55
G 32.0	200.16	199.84	199.52	198.89	197.75	196.35	195.07	194.17	193.38	192.34	190.76	188.74	186.49
G 33.0	197.51	197.18	196.85	196.18	194.95	193.44	192.07	191.12	190.33	189.32	187.79	185.84	183.68
G 34.0	194.54	194.07	193.58	192.83	191.68	190.33	189.10	188.17	187.32	186.25	184.70	182.72	180.41
G 35.0	191.32	190.96	190.61	189.99	188.92	187.59	186.29	185.22	184.20	182.97	181.31	179.29	177.00
G 36.0	188.09	187.73	187.44	186.87	185.80	184.42	183.06	181.95	180.91	179.68	178.05	176.04	173.74
G 37.0	185.09	184.75	184.41	183.77	182.64	181.24	179.87	178.77	177.74	176.49	174.80	172.71	170.32
G 38.0	181.55	181.33	180.96	180.33	179.37	178.19	176.92	175.67	174.38	172.93	171.25	169.28	167.00
G 39.0	177.97	177.65	177.31	176.71	175.72	174.49	173.22	172.07	170.90	169.50	167.71	165.59	163.23
G 40.0	174.32	173.95	173.54	172.91	171.91	170.71	169.54	168.56	167.56	166.25	164.42	162.19	159.74
G 41.0	170.36	170.10	169.66	169.56	168.68	167.48	166.25	165.18	164.08	162.68	160.77	158.46	155.91
G 42.0	166.46	166.35	166.35	166.05	165.15	163.86	162.51	161.34	160.20	158.82	157.00	154.79	152.32
G 43.0	162.54	162.51	162.49	162.46	161.51	160.12	158.70	157.56	156.48	155.14	153.29	151.01	148.46
G 44.0	158.58	158.55	158.52	158.50	157.60	156.31	155.02	154.00	153.01	151.66	149.69	147.24	144.58
G 45.0	154.53	154.64	154.87	154.71	153.82	152.47	151.09	149.99	148.95	147.62	145.76	143.47	140.93
G 46.0	150.40	150.40	150.39	150.38	149.67	148.56	147.34	146.22	145.05	143.62	141.76	139.54	137.06
G 47.0	146.05	146.14	146.41	146.37	145.68	144.54	143.29	142.19	141.08	139.74	137.97	135.81	133.35
G 48.0	141.69	141.77	142.00	141.99	141.45	140.52	139.45	138.42	137.30	135.89	134.05	131.83	129.34
G 49.0	137.28	137.40	137.72	137.82	137.37	136.52	135.47	134.41	133.23	131.78	129.94	127.75	125.30
G 50.0	133.32	133.42	133.63	133.65	133.24	132.47	131.49	130.41	129.17	127.70	125.91	123.81	121.41
G 51.0	128.84	128.95	129.21	129.27	128.88	128.16	127.28	126.39	125.35	123.97	122.10	119.84	117.34
G 52.0	124.49	124.61	124.86	124.91	124.54	123.85	123.03	122.19	121.20	119.84	117.99	115.74	113.27
G 53.0	119.93	120.10	120.45	120.62	120.35	119.72	118.92	118.06	117.04	115.68	113.87	111.70	109.29
G 54.0	115.44	115.69	116.11	116.33	116.06	115.41	114.61	113.79	112.85	111.58	109.86	107.77	105.42
G 55.0	111.26	111.47	111.81	111.95	111.68	111.10	110.40	109.70	108.84	107.60	105.83	103.64	101.23
G 56.0	106.57	106.87	107.37	107.65	107.42	106.83	106.14	105.50	104.76	103.63	101.92	99.76	97.36
G 57.0	102.21	102.50	103.01	103.35	103.22	102.72	102.08	101.42	100.61	99.42	97.73	95.63	93.32
G 58.0	97.81	98.16	98.74	99.12	98.98	98.47	97.83	97.26	96.56	95.47	93.80	91.68	89.35
G 59.0	93.56	93.87	94.42	94.82	94.78	94.39	93.84	93.24	92.46	91.30	89.64	87.60	85.38
G 60.0	89.20	89.50	90.06	90.52	90.58	90.31	89.84	89.27	88.48	87.34			

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power			12.60 W	Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value			239.81 cd/klm	Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 5/18													
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 0.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38
G 1.0	234.68	234.65	234.63	234.53	234.34	234.11	233.88	233.66	233.47	233.30	233.14	232.97	232.78
G 2.0	234.48	234.34	234.19	233.96	233.65	233.32	233.00	232.70	232.42	232.15	231.89	231.60	231.28
G 3.0	234.65	234.31	233.95	233.53	233.04	232.51	231.97	231.45	230.96	230.54	230.15	229.76	229.34
G 4.0	234.44	234.15	233.78	233.19	232.44	231.67	230.95	230.30	229.68	229.09	228.50	227.91	227.34
G 5.0	233.85	233.47	233.06	232.48	231.76	230.93	230.06	229.16	228.23	227.30	226.40	225.58	224.87
G 6.0	233.74	233.17	232.51	231.64	230.61	229.49	228.36	227.26	226.24	225.32	224.44	223.51	222.48
G 7.0	232.91	232.15	231.32	230.34	229.22	228.00	226.71	225.40	224.13	222.93	221.77	220.61	219.44
G 8.0	232.08	231.23	230.32	229.27	228.06	226.69	225.16	223.56	221.99	220.53	219.15	217.79	216.41
G 9.0	231.34	230.39	229.37	228.18	226.80	225.23	223.49	221.65	219.84	218.12	216.47	214.84	213.20
G 10.0	230.26	229.16	228.02	226.74	225.27	223.54	221.55	219.45	217.44	215.64	213.94	212.13	210.10
G 11.0	229.47	228.22	226.86	225.34	223.61	221.65	219.45	217.12	214.81	212.63	210.55	208.53	206.53
G 12.0	228.28	226.99	225.60	224.05	222.23	220.07	217.51	214.73	211.98	209.44	207.10	204.92	202.85
G 13.0	227.15	225.74	224.20	222.42	220.33	217.88	215.06	212.06	209.13	206.44	203.91	201.38	198.79
G 14.0	225.64	224.31	222.72	220.68	218.20	215.35	212.22	209.06	206.13	203.59	201.18	198.57	195.52
G 15.0	223.64	222.26	220.69	218.73	216.31	213.38	209.96	206.35	202.89	199.83	197.02	194.21	191.23
G 16.0	222.48	220.95	219.16	216.96	214.28	211.09	207.40	203.47	199.61	196.07	192.78	189.63	186.52
G 17.0	220.66	219.10	217.25	214.86	211.92	208.47	204.56	200.43	196.33	192.45	188.74	185.07	181.38
G 18.0	218.94	217.26	215.25	212.70	209.59	205.91	201.74	197.31	192.89	188.71	184.69	180.68	176.62
G 19.0	217.28	215.24	212.92	210.24	207.09	203.34	198.95	194.19	189.40	184.86	180.51	176.23	171.95
G 20.0	215.50	213.36	210.97	208.27	205.07	201.14	196.37	191.13	185.91	181.09	176.53	171.97	167.27
G 21.0	213.87	211.98	209.64	206.67	202.98	198.49	193.22	187.57	182.02	176.95	172.16	167.34	162.30
G 22.0	210.91	208.62	206.08	203.18	199.69	195.35	190.05	184.20	178.37	172.96	167.77	162.48	156.88
G 23.0	208.90	206.45	203.59	200.26	196.32	191.64	186.18	180.27	174.34	168.69	163.18	157.55	151.68
G 24.0	206.49	204.08	201.15	197.52	193.20	188.19	182.56	176.56	170.48	164.52	158.62	152.62	146.48
G 25.0	203.70	201.33	198.44	194.79	190.35	185.12	179.19	172.81	166.30	159.93	153.66	147.41	141.16
G 26.0	201.40	198.84	195.72	191.91	187.33	181.95	175.76	169.08	162.24	155.53	148.95	142.39	135.85
G 27.0	198.66	196.00	192.82	188.92	184.21	178.62	172.16	165.14	157.94	150.86	143.93	137.07	130.33
G 28.0	196.02	193.27	189.96	185.91	181.05	175.31	168.69	161.47	154.02	146.62	139.33	132.11	125.04
G 29.0	193.13	190.41	187.07	182.88	177.78	171.72	164.72	157.13	149.37	141.77	134.35	127.03	119.81
G 30.0	190.21	187.43	183.96	179.56	174.20	167.89	160.70	152.94	144.98	137.13	129.45	121.95	114.71
G 31.0	187.08	184.22	180.71	176.33	170.97	164.56	157.09	148.97	140.66	132.56	124.73	117.16	109.89
G 32.0	184.10	181.32	177.79	173.19	167.52	160.81	153.15	144.87	136.37	127.99	119.88	112.16	104.99
G 33.0	181.39	178.66	175.07	170.28	164.31	157.27	149.33	140.81	132.09	123.51	115.27	107.53	100.48
G 34.0	177.83	174.76	170.95	166.14	160.27	153.31	145.30	136.61	127.70	118.97	110.64	102.90	95.94
G 35.0	174.49	171.50	167.70	162.81	156.77	149.59	141.34	132.43	123.33	114.49	106.15	98.50	91.71
G 36.0	171.18	168.13	164.29	159.41	153.36	146.07	137.56	128.32	118.97	110.04	101.76	94.28	87.75
G 37.0	167.67	164.52	160.58	155.58	149.41	142.00	133.40	124.10	114.69	105.72	97.46	90.12	83.87
G 38.0	164.34	161.10	157.02	151.87	145.55	137.98	129.22	119.79	110.35	101.50	93.44	86.32	80.27
G 39.0	160.67	157.59	153.61	148.41	141.92	134.16	125.23	115.69	106.20	97.33	89.35	82.44	76.74
G 40.0	157.16	154.10	150.10	144.80	138.16	130.26	121.25	111.69	102.23	93.46	85.64	78.98	73.59
G 41.0	153.19	150.01	145.97	140.72	134.18	126.31	117.22	107.57	98.13	89.58	82.09	75.71	70.48
G 42.0	149.64	146.44	142.35	137.07	130.48	122.55	113.36	103.63	94.20	85.77	78.52	72.45	67.57
G 43.0	145.72	142.50	138.43	133.16	126.60	118.65	109.43	99.67	90.29	82.06	75.09	69.34	64.76
G 44.0	141.84	138.69	134.68	129.43	122.84	114.87	105.65	95.94	86.68	78.65	71.93	66.46	62.17
G 45.0	138.23	135.03	130.93	125.56	118.87	110.86	101.71	92.16	83.13	75.36	68.91	63.72	59.68
G 46.0	134.37	131.16	127.05	121.73	115.11	107.16	98.01	88.48	79.57	72.06	65.98	61.12	57.33
G 47.0	130.61	127.34	123.19	117.89	111.34	103.45	94.37	84.94	76.19	68.95	63.18	58.64	55.10
G 48.0	126.62	123.39	119.29	114.02	107.50	99.68	90.71	81.44	72.91	65.92	60.43	56.17	52.90
G 49.0	122.61	119.40	115.31	110.04	103.55	95.83	87.05	78.04	69.80	63.11	57.91	53.91	50.84
G 50.0	118.69	115.40	111.27	106.05	99.68	92.10	83.47	74.63	66.63	60.25	55.40	51.70	48.87
G 51.0	114.67	111.53	107.53	102.37	96.02	88.51	80.06	71.48	63.76	57.66	53.04	49.56	46.91
G 52.0	110.67	107.60	103.66	98.51	92.17	84.78	76.57	68.32	60.94	55.14	50.78	47.52	45.05
G 53.0	106.69	103.61	99.69	94.62	88.43	81.23	73.24	65.25	58.17	52.69	48.65	45.65	43.36
G 54.0	102.86	99.82	95.96	91.00	84.96	77.92	70.11	62.31	55.46	50.25	46.48	43.72	41.61
G 55.0	98.68	95.72	91.99	87.18	81.32	74.52	67.00	59.53	52.99	48.06	44.52	41.94	39.94
G 56.0	94.83	91.89	88.19	83.43	77.68	71.09	63.90	56.82	50.65	45.97	42.61	40.15	38.27
G 57.0	90.89	88.06	84.48	79.87	74.30	67.91	60.97	54.14	48.23	43.80	40.66	38.40	36.66
G 58.0	86.92	84.14	80.66	76.21	70.83	64.67	57.96	51.39	45.75	41.64	38.80	36.77	35.16
G 59.0	83.08	80.43	77.07	72.73	67.48	61.49	55.05	48.78	43.45	39.60	36.98	35.12	33.64
G 60.0	79.29	76.64	73.34	69.16	64.14	58.43	52.26	46.27	41.21	37.62	35.22	33.53	32.17
G 61.0	75.50	72.98	69.82	65.78	60.94	55.44	49.53	43.83	39.05	35.70	33.51	31.97	30.71
G 62.0	71.91	69.48	66.42	62.50	57.81	52.55	46.96	41.62	37.15	34.00	31.92	30.48	29.31
G 6													

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG Asymmetrical	

Luminous Intensity Table cd/klm Table 6/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38
G 1.0	232.61	232.52	232.55	232.63	232.69	232.68	232.61
G 2.0	230.97	230.75	230.72	230.69	230.66	230.64	230.59
G 3.0	228.95	228.65	228.47	228.41	228.39	228.38	228.37
G 4.0	226.82	226.39	226.08	225.88	225.76	225.68	225.62
G 5.0	224.26	223.73	223.28	222.91	222.66	222.59	222.53
G 6.0	221.47	220.63	220.09	219.75	219.49	219.20	218.88
G 7.0	218.36	217.51	217.00	216.68	216.39	215.99	215.48
G 8.0	215.14	214.09	213.38	212.89	212.49	212.06	211.60
G 9.0	211.67	210.42	209.52	208.90	208.38	207.85	207.30
G 10.0	208.08	206.39	205.25	204.54	204.05	203.60	203.15
G 11.0	204.65	202.97	201.59	200.49	199.62	198.94	198.39
G 12.0	200.95	199.32	197.99	196.90	195.93	195.00	194.08
G 13.0	196.31	194.22	192.70	191.62	190.78	190.00	189.24
G 14.0	192.38	189.62	187.57	186.15	185.13	184.32	183.63
G 15.0	188.24	185.51	183.22	181.40	180.02	179.03	178.31
G 16.0	183.52	180.73	178.27	176.18	174.53	173.34	172.47
G 17.0	177.86	174.74	172.21	170.25	168.76	167.66	166.81
G 18.0	172.73	169.33	166.63	164.57	162.99	161.73	160.69
G 19.0	167.87	164.22	161.19	158.79	156.94	155.57	154.52
G 20.0	162.67	158.55	155.17	152.54	150.57	149.17	148.15
G 21.0	157.32	152.82	149.12	146.25	144.13	142.67	141.68
G 22.0	151.41	146.63	142.95	140.28	138.34	136.90	135.78
G 23.0	145.99	141.02	137.21	134.42	132.40	130.89	129.72
G 24.0	140.60	135.49	131.53	128.58	126.40	124.75	123.43
G 25.0	135.22	129.96	125.70	122.40	119.95	118.23	117.00
G 26.0	129.66	124.23	119.87	116.54	114.09	112.38	111.17
G 27.0	124.03	118.57	114.26	111.02	108.65	106.96	105.73
G 28.0	118.48	112.88	108.58	105.43	103.20	101.65	100.54
G 29.0	113.13	107.50	103.28	100.30	98.22	96.72	95.60
G 30.0	108.10	102.57	98.44	95.51	93.48	92.04	90.98
G 31.0	103.30	97.83	93.81	91.02	89.11	87.75	86.75
G 32.0	98.65	93.43	89.55	86.82	84.97	83.71	82.84
G 33.0	94.32	89.30	85.56	82.93	81.13	79.94	79.13
G 34.0	89.96	85.17	81.69	79.30	77.68	76.55	75.74
G 35.0	85.96	81.40	78.11	75.86	74.36	73.34	72.63
G 36.0	82.28	77.99	74.91	72.81	71.40	70.43	69.72
G 37.0	78.74	74.75	71.86	69.86	68.53	67.63	67.02
G 38.0	75.33	71.53	68.85	67.07	65.91	65.14	64.60
G 39.0	72.20	68.74	66.27	64.58	63.47	62.72	62.20
G 40.0	69.40	66.23	63.92	62.32	61.24	60.53	60.06
G 41.0	66.36	63.30	61.21	59.86	58.99	58.38	57.91
G 42.0	63.78	60.98	59.03	57.74	56.90	56.32	55.89
G 43.0	61.23	58.64	56.84	55.66	54.90	54.41	54.08
G 44.0	58.91	56.51	54.83	53.71	53.00	52.55	52.28
G 45.0	56.63	54.43	52.92	51.92	51.27	50.83	50.51
G 46.0	54.46	52.40	50.99	50.09	49.51	49.12	48.83
G 47.0	52.43	50.49	49.16	48.30	47.75	47.40	47.16
G 48.0	50.45	48.69	47.48	46.69	46.18	45.85	45.63
G 49.0	48.55	46.91	45.79	45.06	44.59	44.28	44.07
G 50.0	46.74	45.21	44.15	43.47	43.04	42.78	42.63
G 51.0	44.92	43.51	42.55	41.94	41.56	41.32	41.17
G 52.0	43.22	41.91	41.00	40.41	40.04	39.81	39.67
G 53.0	41.63	40.36	39.46	38.84	38.46	38.24	38.14
G 54.0	40.01	38.85	38.05	37.53	37.20	36.97	36.80
G 55.0	38.41	37.31	36.59	36.14	35.87	35.67	35.52
G 56.0	36.85	35.84	35.18	34.78	34.53	34.33	34.16
G 57.0	35.34	34.39	33.78	33.40	33.16	32.96	32.79
G 58.0	33.89	32.98	32.39	32.04	31.83	31.65	31.49
G 59.0	32.47	31.61	31.05	30.71	30.50	30.35	30.22
G 60.0	31.07	30.26	29.75	29.46	29.28	29.13	28.99
G 61.0	29.66	28.89	28.41	28.15	28.00	27.90	27.81
G 62.0	28.36	27.66	27.21	26.95	26.80	26.68	26.58
G 63.0	26.99	26.35	25.95	25.73	25.61	25.51	25.42
G 64.0	25.71	25.08	24.69	24.49	24.38	24.30	24.23
G 65.0	24.41	23.82	23.47	23.27	23.17	23.08	22.99
G 66.0	23.12	22.59	22.27	22.10	22.01	21.93	21.87
G 67.0	21.82	21.27	20.96	20.82	20.76	20.71	20.67
G 68.0	20.56	20.08	19.80	19.66	19.60	19.54	19.48
G 69.0	19.29	18.82	18.57	18.48	18.45	18.42	18.36
G 70.0	17.99	17.56	17.33	17.24	17.22	17.20	17.18
G 71.0	16.75	16.38	16.19	16.13	16.13	16.10	16.06
G 72.0	15.51	15.19	15.13	15.06	15.00	14.97	14.93

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power			12.60 W	Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value			239.81 cd/klm	Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 7/18													
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 73.0	13.78	14.02	14.24	14.44	14.61	14.82	15.14	15.62	16.24	16.94	17.70	18.73	20.25
G 74.0	12.66	12.90	13.13	13.32	13.49	13.69	13.99	14.43	15.00	15.64	16.34	17.27	18.65
G 75.0	11.60	11.83	12.03	12.21	12.35	12.52	12.80	13.24	13.79	14.39	15.02	15.85	17.09
G 76.0	10.53	10.76	10.97	11.15	11.28	11.43	11.68	12.08	12.58	13.13	13.69	14.43	15.54
G 77.0	9.46	9.68	9.88	10.05	10.19	10.34	10.57	10.92	11.38	11.87	12.39	13.07	14.06
G 78.0	8.47	8.68	8.86	9.01	9.12	9.24	9.45	9.80	10.24	10.70	11.14	11.70	12.55
G 79.0	7.46	7.68	7.87	8.01	8.10	8.21	8.39	8.71	9.11	9.52	9.90	10.38	11.12
G 80.0	6.48	6.67	6.84	6.98	7.08	7.19	7.36	7.64	7.98	8.34	8.67	9.10	9.76
G 81.0	5.56	5.75	5.91	6.04	6.11	6.18	6.33	6.59	6.92	7.24	7.52	7.85	8.39
G 82.0	4.67	4.86	5.03	5.14	5.20	5.26	5.38	5.60	5.89	6.17	6.41	6.68	7.12
G 83.0	3.80	3.98	4.13	4.25	4.31	4.37	4.47	4.65	4.89	5.12	5.32	5.55	5.91
G 84.0	3.03	3.18	3.32	3.41	3.44	3.48	3.57	3.75	3.98	4.19	4.33	4.48	4.74
G 85.0	2.33	2.47	2.58	2.66	2.69	2.72	2.79	2.93	3.11	3.28	3.39	3.50	3.69
G 86.0	1.64	1.76	1.86	1.94	1.99	2.03	2.10	2.20	2.32	2.44	2.52	2.61	2.75
G 87.0	1.12	1.25	1.35	1.41	1.41	1.41	1.41	1.51	1.64	1.75	1.79	1.82	1.89
G 88.0	0.65	0.74	0.82	0.87	0.88	0.89	0.91	0.98	1.06	1.12	1.15	1.16	1.20
G 89.0	0.41	0.44	0.46	0.46	0.44	0.43	0.42	0.47	0.56	0.63	0.65	0.66	0.66
G 90.0	0.34	0.34	0.31	0.26	0.17	0.10	0.10	0.20	0.34	0.42	0.39	0.28	0.21
G 91.0	0.41	0.38	0.36	0.32	0.29	0.25	0.22	0.20	0.19	0.17	0.13	0.11	0.10
G 92.0	0.65	0.63	0.62	0.61	0.59	0.56	0.54	0.50	0.47	0.45	0.44	0.44	0.42
G 93.0	1.12	1.12	1.10	1.06	0.98	0.90	0.85	0.84	0.86	0.86	0.82	0.77	0.73
G 94.0	1.64	1.67	1.68	1.65	1.56	1.46	1.40	1.42	1.47	1.48	1.41	1.31	1.29
G 95.0	2.33	2.31	2.28	2.24	2.17	2.10	2.07	2.07	2.10	2.11	2.11	2.11	2.11
G 96.0	3.03	3.01	3.00	2.98	2.89	2.78	2.73	2.76	2.83	2.87	2.89	2.92	2.94
G 97.0	3.80	3.79	3.79	3.79	3.71	3.62	3.57	3.61	3.69	3.74	3.79	3.85	3.91
G 98.0	4.67	4.65	4.64	4.62	4.53	4.45	4.42	4.50	4.62	4.72	4.74	4.79	5.01
G 99.0	5.56	5.56	5.55	5.55	5.46	5.37	5.35	5.44	5.58	5.71	5.77	5.89	6.19
G100.0	6.48	6.51	6.52	6.50	6.45	6.40	6.35	6.45	6.61	6.76	6.85	7.03	7.43
G101.0	7.46	7.46	7.46	7.45	7.41	7.37	7.33	7.48	7.69	7.89	8.04	8.26	8.75
G102.0	8.47	8.50	8.51	8.48	8.45	8.42	8.38	8.54	8.77	9.01	9.22	9.54	10.15
G103.0	9.46	9.51	9.54	9.53	9.51	9.50	9.49	9.66	9.91	10.18	10.42	10.81	11.52
G104.0	10.53	10.55	10.56	10.57	10.57	10.57	10.57	10.80	11.12	11.46	11.77	12.22	13.04
G105.0	11.60	11.62	11.64	11.66	11.68	11.69	11.70	11.94	12.29	12.66	13.03	13.58	14.53
G106.0	12.66	12.70	12.74	12.78	12.82	12.85	12.89	13.16	13.52	13.92	14.34	14.96	16.03
G107.0	13.78	13.81	13.85	13.89	13.93	13.98	14.02	14.31	14.73	15.18	15.67	16.39	17.60
G108.0	14.88	14.93	14.97	15.00	15.06	15.13	15.19	15.51	15.95	16.46	17.01	17.83	19.19
G109.0	16.00	16.06	16.10	16.13	16.13	16.19	16.38	16.75	17.25	17.82	18.44	19.35	20.84
G110.0	17.14	17.18	17.20	17.22	17.24	17.33	17.56	17.99	18.56	19.20	19.90	20.90	22.53
G111.0	18.29	18.36	18.42	18.45	18.48	18.57	18.82	19.29	19.93	20.63	21.38	22.46	24.23
G112.0	19.41	19.48	19.54	19.60	19.66	19.80	20.08	20.56	21.20	21.92	22.74	23.95	25.91
G113.0	20.62	20.67	20.71	20.76	20.82	20.96	21.27	21.82	22.54	23.37	24.30	25.63	27.75
G114.0	21.80	21.87	21.93	22.01	22.10	22.27	22.59	23.12	23.83	24.68	25.70	27.19	29.52
G115.0	22.91	22.99	23.08	23.17	23.27	23.47	23.82	24.41	25.19	26.12	27.23	28.83	31.33
G116.0	24.16	24.23	24.30	24.38	24.49	24.69	25.08	25.71	26.57	27.58	28.79	30.53	33.23
G117.0	25.33	25.42	25.51	25.61	25.73	25.95	26.35	26.99	27.87	28.95	30.27	32.18	35.12
G118.0	26.49	26.58	26.68	26.80	26.95	27.21	27.66	28.36	29.31	30.48	31.92	34.00	37.15
G119.0	27.72	27.81	27.90	28.00	28.15	28.41	28.89	29.66	30.71	31.97	33.51	35.70	39.05
G120.0	28.86	28.99	29.13	29.28	29.46	29.75	30.26	31.07	32.17	33.53	35.22	37.62	41.21
G121.0	30.11	30.22	30.35	30.50	30.71	31.05	31.61	32.47	33.64	35.12	36.98	39.60	43.45
G122.0	31.34	31.49	31.65	31.83	32.04	32.39	32.98	33.89	35.16	36.77	38.80	41.64	45.75
G123.0	32.63	32.79	32.96	33.16	33.40	33.78	34.39	35.34	36.66	38.40	40.66	43.80	48.23
G124.0	34.00	34.16	34.33	34.53	34.78	35.18	35.84	36.85	38.27	40.15	42.61	45.97	50.65
G125.0	35.40	35.52	35.67	35.87	36.14	36.59	37.31	38.41	39.94	41.94	44.52	48.06	52.99
G126.0	36.67	36.80	36.97	37.20	37.53	38.05	38.85	40.01	41.61	43.72	46.48	50.25	55.46
G127.0	38.08	38.14	38.24	38.46	38.84	39.46	40.36	41.63	43.36	45.65	48.65	52.69	58.17
G128.0	39.57	39.67	39.81	40.04	40.41	41.00	41.91	43.22	45.05	47.52	50.78	55.14	60.94
G129.0	41.06	41.17	41.32	41.56	41.94	42.55	43.51	44.92	46.91	49.56	53.04	57.66	63.76
G130.0	42.52	42.63	42.78	43.04	43.47	44.15	45.21	46.74	48.87	51.70	55.40	60.25	66.63
G131.0	43.90	44.07	44.28	44.59	45.06	45.79	46.91	48.55	50.84	53.91	57.91	63.11	69.80
G132.0	45.46	45.63	45.85	46.18	46.69	47.48	48.69	50.45	52.90	56.17	60.43	65.92	72.91
G133.0	46.99	47.16	47.40	47.75	48.30	49.16	50.49	52.43	55.10	58.64	63.18	68.95	76.19
G134.0	48.59	48.83	49.12	49.51	50.09	50.99	52.40	54.46	57.33	61.12	65.98	72.06	79.57
G135.0	50.25	50.51	50.83	51.27	51.92	52.92	54.43	56.63	59.68	63.72	68.91	75.36	83.13
G136.0	52.09	52.28	52.55	53.00	53.71	54.83	56.51	58.91	62.17	66.46	71.93	78.65	86.68
G137.0	53.84	54.08	54.41	54.90	55.66	56.84	58.64	61.23	64.76	69.34	75.09	82.06	90.29
G138.0	55.54	55.89	56.32	56.90	57.74	59.03	60.98	63.78	67.57	72.45	78.52	85.77	94.20
G139.0	57.53	57.91	58.38	58.99	59.86	61.21	63.30	66.36	70.48	75.71	82.09	89.58	98.13
G140.0	59.71	60.06	60.53	61.24	62.32	63.92	66.23	69.40	73.59	78.98	85.64	93.46	102.23
G141.0	61.81	62.20	62.72	63.47	64.58	66.27	68.74	72.20	76.74	82.44	89.35	97.33	106.20
G142.0	64.18	64.60	65.14	65.91	67.07	68.85	71.53	75.33	80.27	86.32	93.44	101.50	110.35
G143.0	66.55	67.02	67.63	68.53	69.86	71.86	74.75	78.74	83.87	90.12	97.46	105.72	114.69
G144.0	69.15	69.72	70.43	71.40	72.81	74.91	77.99	82.28	87.75	94.28	101.76	110.04	118.97
G145.0	72.07	72.63	73.34	74.36	75.86	78.11	81.40	85.96	91.71	98.50	106.15	114.49	123.33

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 8/18													
	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	22.44	25.19	28.37	31.77	34.95	37.45	38.95	39.79	40.49	41.42	42.41	43.12	43.32
G 74.0	20.63	23.14	26.07	29.22	32.20	34.53	35.90	36.66	37.30	38.17	39.09	39.72	39.84
G 75.0	18.89	21.19	23.86	26.74	29.45	31.58	32.85	33.57	34.16	34.96	35.77	36.32	36.37
G 76.0	17.16	19.24	21.67	24.30	26.77	28.71	29.86	30.48	31.00	31.71	32.45	32.93	32.96
G 77.0	15.50	17.34	19.53	21.93	24.20	25.96	26.96	27.46	27.89	28.55	29.25	29.70	29.69
G 78.0	13.83	15.49	17.47	19.62	21.67	23.25	24.14	24.59	24.96	25.52	26.10	26.45	26.40
G 79.0	12.24	13.70	15.45	17.37	19.18	20.57	21.33	21.69	21.99	22.48	23.01	23.33	23.27
G 80.0	10.75	12.04	13.58	15.26	16.86	18.07	18.71	19.00	19.25	19.67	20.12	20.37	20.26
G 81.0	9.23	10.36	11.70	13.18	14.57	15.63	16.18	16.41	16.59	16.92	17.28	17.47	17.36
G 82.0	7.80	8.73	9.88	11.20	12.45	13.36	13.76	13.86	13.94	14.22	14.55	14.72	14.58
G 83.0	6.47	7.24	8.19	9.30	10.34	11.09	11.39	11.43	11.48	11.74	12.06	12.20	12.02
G 84.0	5.20	5.84	6.64	7.54	8.38	8.98	9.20	9.21	9.22	9.39	9.60	9.68	9.49
G 85.0	4.03	4.51	5.13	5.85	6.53	6.99	7.00	7.02	7.04	7.18	7.37	7.44	7.26
G 86.0	3.00	3.36	3.82	4.37	4.88	5.22	5.20	5.19	5.18	5.26	5.34	5.42	5.22
G 87.0	2.06	2.32	2.66	3.06	3.42	3.65	3.60	3.56	3.51	3.55	3.62	3.61	3.43
G 88.0	1.29	1.44	1.65	1.89	2.13	2.29	2.34	2.31	2.27	2.25	2.23	2.13	1.94
G 89.0	0.69	0.76	0.90	1.12	1.31	1.40	1.32	1.15	1.03	1.05	1.15	1.21	1.15
G 90.0	0.23	0.31	0.44	0.55	0.61	0.56	0.38	0.17	0.04	0.09	0.22	0.33	0.32
G 91.0	0.13	0.17	0.19	0.18	0.14	0.10	0.07	0.07	0.09	0.13	0.17	0.21	0.15
G 92.0	0.37	0.33	0.32	0.37	0.47	0.63	0.82	0.95	0.94	0.73	0.47	0.36	0.52
G 93.0	0.75	0.79	0.85	0.91	0.99	1.16	1.42	1.68	1.79	1.68	1.47	1.36	1.48
G 94.0	1.39	1.55	1.65	1.66	1.68	1.69	2.00	2.39	2.64	2.62	2.47	2.37	2.46
G 95.0	2.26	2.46	2.63	2.72	2.77	2.85	3.01	3.24	3.49	3.73	3.91	3.97	3.88
G 96.0	3.18	3.52	3.82	4.03	4.19	4.36	4.62	4.93	5.26	5.58	5.81	5.90	5.81
G 97.0	4.27	4.74	5.20	5.54	5.82	6.09	6.44	6.82	7.23	7.60	7.89	8.03	7.98
G 98.0	5.47	6.08	6.68	7.17	7.58	7.98	8.42	8.89	9.38	9.84	10.21	10.41	10.41
G 99.0	6.78	7.54	8.31	8.94	9.49	10.02	10.58	11.17	11.77	12.35	12.80	13.04	13.02
G100.0	8.16	9.10	10.06	10.89	11.61	12.29	12.98	13.67	14.33	14.93	15.40	15.67	15.71
G101.0	9.61	10.71	11.84	12.83	13.72	14.57	15.42	16.26	17.03	17.71	18.22	18.50	18.52
G102.0	11.16	12.44	13.77	14.99	16.09	17.09	18.02	18.90	19.74	20.52	21.16	21.54	21.61
G103.0	12.70	14.17	15.71	17.14	18.43	19.61	20.69	21.69	22.62	23.49	24.20	24.64	24.66
G104.0	14.35	15.99	17.74	19.39	20.89	22.26	23.48	24.59	25.62	26.58	27.37	27.88	28.04
G105.0	16.04	17.91	19.88	21.72	23.40	24.93	26.31	27.56	28.73	29.80	30.68	31.23	31.28
G106.0	17.71	19.80	22.05	24.22	26.21	27.95	29.43	30.71	31.89	33.02	33.99	34.63	34.69
G107.0	19.47	21.78	24.24	26.60	28.77	30.69	32.35	33.80	35.11	36.33	37.35	38.02	38.28
G108.0	21.26	23.81	26.53	29.13	31.52	33.62	35.39	36.93	38.32	39.64	40.76	41.53	41.86
G109.0	23.11	25.92	28.90	31.75	34.34	36.62	38.53	40.18	41.66	43.07	44.28	45.11	45.48
G110.0	24.98	28.01	31.25	34.37	37.22	39.69	41.73	43.44	44.99	46.49	47.80	48.73	49.17
G111.0	26.90	30.20	33.72	37.10	40.17	42.84	45.04	46.89	48.55	50.13	51.51	52.49	52.97
G112.0	28.85	32.45	36.26	39.90	43.20	46.04	48.36	50.30	52.04	53.69	55.13	56.17	56.71
G113.0	30.88	34.71	38.78	42.67	46.20	49.22	51.67	53.69	55.53	57.32	58.91	60.08	60.67
G114.0	32.92	37.04	41.41	45.58	49.35	52.56	55.14	57.24	59.12	60.94	62.56	63.77	64.43
G115.0	34.98	39.40	44.09	48.56	52.59	56.00	58.67	60.82	62.73	64.61	66.32	67.63	68.38
G116.0	37.15	41.87	46.83	51.51	55.70	59.25	62.08	64.39	66.42	68.36	70.09	71.41	72.20
G117.0	39.33	44.37	49.65	54.63	59.07	62.81	65.77	68.16	70.25	72.24	74.01	75.37	76.19
G118.0	41.62	46.96	52.55	57.81	62.50	66.42	69.48	71.91	74.03	76.06	77.89	79.30	80.16
G119.0	43.83	49.53	55.44	60.94	65.78	69.82	72.98	75.50	77.70	79.83	81.74	83.24	84.17
G120.0	46.27	52.26	58.43	64.14	69.16	73.34	76.64	79.29	81.58	83.76	85.73	87.34	88.48
G121.0	48.78	55.05	61.49	67.48	72.73	77.07	80.43	83.08	85.38	87.60	89.64	91.30	92.46
G122.0	51.39	57.96	64.67	70.83	76.21	80.66	84.14	86.92	89.35	91.68	93.80	95.47	96.56
G123.0	54.14	60.97	67.91	74.30	79.87	84.48	88.06	90.89	93.32	95.63	97.73	99.42	100.61
G124.0	56.82	63.90	71.09	77.68	83.43	88.19	91.89	94.83	97.36	99.76	101.92	103.63	104.76
G125.0	59.53	67.00	74.52	81.32	87.18	91.99	95.72	98.68	101.23	103.64	105.83	107.60	108.84
G126.0	62.31	70.11	77.92	84.96	91.00	95.96	99.82	102.86	105.42	107.77	109.86	111.58	112.85
G127.0	65.25	73.24	81.23	88.43	94.62	99.69	103.61	106.69	109.29	111.70	113.87	115.68	117.04
G128.0	68.32	76.57	84.78	92.17	98.51	103.66	107.60	110.67	113.27	115.74	117.99	119.84	121.20
G129.0	71.48	80.06	88.51	96.02	102.37	107.53	111.53	114.67	117.34	119.84	122.10	123.97	125.35
G130.0	74.63	83.47	92.10	99.68	106.05	111.27	115.40	118.69	121.41	123.81	125.91	127.70	129.17
G131.0	78.04	87.05	95.83	103.55	110.04	115.31	119.40	122.61	125.30	127.75	129.94	131.78	133.23
G132.0	81.44	90.71	99.68	107.50	114.02	119.29	123.39	126.62	129.34	131.83	134.05	135.89	137.30
G133.0	84.94	94.37	103.45	111.34	117.89	123.19	127.34	130.61	133.35	135.81	137.97	139.74	141.08
G134.0	88.48	98.01	107.16	115.11	121.73	127.05	131.16	134.37	137.06	139.54	141.76	143.62	145.05
G135.0	92.16	101.71	110.86	118.87	125.56	130.93	135.03	138.23	140.93	143.47	145.76	147.62	148.95
G136.0	95.94	105.65	114.87	122.84	129.43	134.68	138.69	141.84	144.58	147.24	149.69	151.66	153.01
G137.0	99.67	109.43	118.65	126.60	133.16	138.43	142.50	145.72	148.46	151.01	153.29	155.14	156.48
G138.0	103.63	113.36	122.55	130.48	137.07	142.35	146.44	149.64	152.32	154.79	157.00	158.82	160.20
G139.0	107.57	117.22	126.31	134.18	140.72	145.97	150.01	153.19	155.91	158.46	160.77	162.68	164.08
G140.0	111.69	121.25	130.26	138.16	144.80	150.10	154.10	157.16	159.74	162.19	164.42	166.25	167.56
G141.0	115.69	125.23	134.16	141.92	148.41	153.61	157.59	160.67	163.23	165.59	167.71	169.50	170.90
G142.0	119.79	129.22	137.98	145.55	151.87	157.02	161.10	164.34	167.00	169.28	171.25	172.93	174.38
G143.0	124.10	133.40	142.00	149.41	155.58	160.58	164.52	167.67	170.32	172.71	174.80	176.49	177.74
G144.0	128.32	137.56	146.07	153.36	159.41	164.29	168.13	171.18	173.74	176.04	178.05	179.68	180.91
G145.0	132.43	141.34	149.59	156.77	162.81	167.70	171.50	174.49	177.00	179.29	181.31	182.97	184.20

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 9/18															
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00		
G 73.0	43.19	42.98	42.87	42.72	42.29	41.45	40.46	39.67	39.32	39.22	39.07	38.67	38.22		
G 74.0	39.63	39.37	39.24	39.10	38.70	37.91	36.96	36.19	35.84	35.73	35.57	35.17	34.72		
G 75.0	36.13	35.86	35.74	35.62	35.25	34.49	33.56	32.81	32.46	32.33	32.17	31.78	31.35		
G 76.0	32.72	32.44	32.31	32.17	31.80	31.07	30.18	29.48	29.16	29.07	28.92	28.54	28.10		
G 77.0	29.39	29.08	28.93	28.79	28.44	27.74	26.90	26.23	25.93	25.84	25.70	25.32	24.87		
G 78.0	26.09	25.79	25.64	25.53	25.22	24.60	23.84	23.20	22.88	22.73	22.54	22.17	21.77		
G 79.0	22.98	22.68	22.53	22.39	22.07	21.45	20.70	20.10	19.81	19.70	19.56	19.22	18.83		
G 80.0	19.93	19.62	19.47	19.35	19.08	18.51	17.84	17.28	17.01	16.90	16.74	16.39	15.99		
G 81.0	17.08	16.80	16.65	16.51	16.22	15.66	14.99	14.46	14.22	14.13	13.98	13.63	13.23		
G 82.0	14.27	13.98	13.86	13.78	13.54	13.01	12.37	11.85	11.62	11.56	11.44	11.14	10.77		
G 83.0	11.65	11.32	11.16	11.07	10.86	10.41	9.86	9.41	9.22	9.16	9.03	8.71	8.33		
G 84.0	9.16	8.88	8.75	8.67	8.48	8.07	7.57	7.16	6.97	6.90	6.78	6.50	6.17		
G 85.0	6.95	6.66	6.52	6.43	6.25	5.88	5.44	5.10	4.96	4.92	4.84	4.61	4.31		
G 86.0	4.90	4.61	4.48	4.42	4.28	3.99	3.63	3.33	3.20	3.17	3.13	3.03	2.86		
G 87.0	3.16	2.90	2.72	2.63	2.61	2.57	2.54	2.50	2.28	1.98	1.70	1.49	1.36		
G 88.0	1.71	1.52	1.52	1.53	1.54	1.68	1.76	1.68	1.36	0.96	0.65	0.65	0.65		
G 89.0	1.00	0.81	0.62	0.48	0.48	0.62	0.79	0.85	0.69	0.40	0.12	0.00	0.00		
G 90.0	0.22	0.11	0.01	0.02	0.03	0.04	0.03	0.02	0.01	0.00	0.00	0.00	0.01		
G 91.0	0.08	0.05	0.10	0.18	0.23	0.20	0.11	0.01	0.00	0.00	0.12	0.40	0.69		
G 92.0	0.79	0.95	0.85	0.61	0.43	0.50	0.58	0.65	0.65	0.65	0.65	0.96	1.36		
G 93.0	1.70	1.86	1.81	1.63	1.43	1.31	1.26	1.28	1.36	1.49	1.70	1.98	2.28		
G 94.0	2.64	2.76	2.71	2.56	2.44	2.43	2.52	2.68	2.86	3.03	3.13	3.17	3.20		
G 95.0	3.74	3.67	3.76	3.93	4.06	4.07	4.07	4.08	4.31	4.61	4.84	4.92	4.96		
G 96.0	5.67	5.60	5.71	5.89	6.02	5.98	5.91	5.93	6.17	6.50	6.78	6.90	6.97		
G 97.0	7.86	7.82	7.94	8.14	8.25	8.18	8.07	8.07	8.33	8.71	9.03	9.16	9.22		
G 98.0	10.31	10.28	10.42	10.64	10.76	10.68	10.54	10.53	10.77	11.14	11.44	11.56	11.62		
G 99.0	12.88	12.85	13.04	13.32	13.46	13.33	13.10	13.01	13.23	13.63	13.98	14.13	14.22		
G100.0	15.63	15.63	15.81	16.05	16.16	16.03	15.82	15.76	15.99	16.39	16.74	16.90	17.01		
G101.0	18.44	18.44	18.65	18.93	19.07	18.94	18.71	18.62	18.83	19.22	19.56	19.70	19.81		
G102.0	21.53	21.52	21.73	22.01	22.14	21.97	21.69	21.56	21.77	22.17	22.54	22.73	22.88		
G103.0	24.69	24.71	24.92	25.19	25.29	25.08	24.77	24.64	24.87	25.32	25.70	25.84	25.93		
G104.0	28.01	28.04	28.27	28.55	28.64	28.40	28.05	27.88	28.10	28.54	28.92	29.07	29.16		
G105.0	31.32	31.36	31.59	31.88	31.98	31.73	31.34	31.15	31.35	31.78	32.17	32.33	32.46		
G106.0	34.76	34.83	35.07	35.35	35.43	35.15	34.74	34.52	34.72	35.17	35.57	35.73	35.84		
G107.0	38.31	38.37	38.63	38.92	38.99	38.69	38.25	38.02	38.22	38.67	39.07	39.22	39.32		
G108.0	41.93	42.00	42.25	42.52	42.56	42.24	41.79	41.54	41.72	42.15	42.55	42.71	42.84		
G109.0	45.58	45.68	45.94	46.23	46.27	45.93	45.45	45.18	45.37	45.82	46.22	46.39	46.52		
G110.0	49.31	49.42	49.70	49.98	50.00	49.63	49.11	48.82	49.00	49.45	49.86	50.02	50.14		
G111.0	53.15	53.28	53.57	53.85	53.87	53.49	52.96	52.65	52.82	53.26	53.67	53.85	54.00		
G112.0	56.93	57.11	57.44	57.75	57.77	57.36	56.78	56.44	56.59	57.04	57.47	57.66	57.82		
G113.0	60.89	61.06	61.38	61.68	61.71	61.32	60.77	60.44	60.57	60.97	61.36	61.53	61.68		
G114.0	64.73	64.97	65.34	65.66	65.69	65.27	64.69	64.34	64.48	64.91	65.33	65.53	65.70		
G115.0	68.77	69.05	69.41	69.70	69.70	69.28	68.72	68.38	68.54	68.99	69.43	69.67	69.88		
G116.0	72.64	73.00	73.45	73.82	73.85	73.41	72.79	72.40	72.53	72.99	73.44	73.67	73.85		
G117.0	76.66	77.06	77.55	77.97	78.04	77.63	77.01	76.57	76.61	76.95	77.34	77.60	77.88		
G118.0	80.66	81.08	81.59	82.03	82.15	81.80	81.28	80.96	81.12	81.56	81.94	82.05	82.13		
G119.0	84.74	85.21	85.75	86.20	86.30	85.89	85.30	84.97	85.18	85.70	86.15	86.28	86.34		
G120.0	89.27	89.84	90.31	90.58	90.52	90.06	89.50	89.20	89.40	89.89	90.32	90.48	90.59		
G121.0	93.24	93.84	94.39	94.78	94.82	94.42	93.87	93.56	93.76	94.23	94.63	94.74	94.80		
G122.0	97.26	97.83	98.47	98.98	99.12	98.74	98.16	97.81	98.00	98.50	98.94	99.07	99.14		
G123.0	101.42	102.08	102.72	103.22	103.35	103.01	102.50	102.21	102.39	102.86	103.27	103.42	103.52		
G124.0	105.50	106.14	106.83	107.42	107.65	107.37	106.87	106.57	106.76	107.23	107.65	107.79	107.88		
G125.0	109.70	110.40	111.10	111.68	111.95	111.81	111.47	111.26	111.40	111.73	112.02	112.11	112.21		
G126.0	113.79	114.61	115.41	116.06	116.33	116.11	115.69	115.44	115.64	116.08	116.45	116.56	116.62		
G127.0	118.06	118.92	119.72	120.35	120.62	120.45	120.10	119.93	120.16	120.60	120.92	120.99	121.05		
G128.0	122.19	123.03	123.85	124.54	124.91	124.86	124.61	124.49	124.71	125.10	125.39	125.48	125.57		
G129.0	126.39	127.28	128.16	128.88	129.27	129.21	128.95	128.84	129.08	129.52	129.88	129.97	130.00		
G130.0	130.41	131.49	132.47	133.24	133.65	133.63	133.42	133.32	133.55	133.95	134.26	134.32	134.32		
G131.0	134.41	135.47	136.52	137.37	137.82	137.72	137.40	137.28	137.65	138.26	138.72	138.75	138.78		
G132.0	138.42	139.45	140.52	141.45	141.99	142.00	141.77	141.69	142.05	142.63	143.07	143.15	143.09		
G133.0	142.19	143.29	144.54	145.68	146.37	146.41	146.14	146.05	146.47	147.12	147.59	147.59	147.41		
G134.0	146.22	147.34	148.56	149.67	150.38	150.39	150.40	150.40	150.77	151.32	151.72	151.73	151.74		
G135.0	149.99	151.09	152.47	153.82	154.71	154.87	154.64	154.53	154.89	155.47	155.88	155.85	155.65		
G136.0	154.00	155.02	156.31	157.60	158.50	158.52	158.55	158.58	158.94	159.50	159.93	159.95	159.98		
G137.0	157.56	158.70	160.12	161.51	162.46	162.49	162.51	162.54	162.99	163.65	164.15	164.21	164.04		
G138.0	161.34	162.51	163.86	165.15	166.05	166.35	166.35	166.46	166.99	167.68	168.14	168.11	167.85		
G139.0	165.18	166.25	167.48	168.68	169.56	169.96	170.10	170.36	170.96	171.67	172.11	172.05	171.75		
G140.0	168.56	169.54	170.71	171.91	172.91	173.54	173.95	174.32	174.80	175.27	175.56	175.56	175.44		
G141.0	172.07	173.22	174.49	175.72	176.71	177.31	177.65	177.97	178.42	178.88	179.17	179.12	179.07		
G142.0	175.67	176.92	178.19	179.37	180.33	180.96	181.33	181.55	181.72	181.87	182.00	182.11	182.22		
G143.0	178.77	179.87	181.24	182.64	183.77	184.41	184.75	185.09	185.63	186.18	186.46	186.31	185.96		
G144.0	1														

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power			12.60 W	Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value			239.81 cd/klm	Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 10/18													
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 73.0	38.02	38.25	38.69	38.99	38.92	38.63	38.37	38.31	38.28	38.02	37.35	36.33	35.11
G 74.0	34.52	34.74	35.15	35.43	35.35	35.07	34.83	34.76	34.69	34.63	33.99	33.02	31.89
G 75.0	31.15	31.34	31.73	31.98	31.88	31.59	31.36	31.32	31.28	31.23	30.68	29.80	28.73
G 76.0	27.88	28.05	28.40	28.64	28.55	28.27	28.04	28.01	28.04	27.88	27.37	26.58	25.62
G 77.0	24.64	24.77	25.08	25.29	25.19	24.92	24.71	24.69	24.66	24.64	24.20	23.49	22.62
G 78.0	21.56	21.69	21.97	22.14	22.01	21.73	21.52	21.53	21.61	21.54	21.16	20.52	19.74
G 79.0	18.62	18.71	18.94	19.07	18.93	18.65	18.44	18.44	18.52	18.50	18.22	17.71	17.03
G 80.0	15.76	15.82	16.03	16.16	16.05	15.81	15.63	15.63	15.71	15.67	15.40	14.93	14.33
G 81.0	13.01	13.10	13.33	13.46	13.32	13.04	12.85	12.88	13.02	13.04	12.80	12.35	11.77
G 82.0	10.53	10.54	10.68	10.76	10.64	10.42	10.28	10.31	10.41	10.41	10.21	9.84	9.38
G 83.0	8.07	8.07	8.18	8.25	8.14	7.94	7.82	7.86	7.98	8.03	7.89	7.60	7.23
G 84.0	5.93	5.91	5.98	6.02	5.89	5.71	5.60	5.67	5.81	5.90	5.81	5.58	5.26
G 85.0	4.08	4.07	4.07	4.06	3.93	3.76	3.67	3.74	3.88	3.97	3.91	3.73	3.49
G 86.0	2.68	2.52	2.43	2.44	2.56	2.71	2.76	2.64	2.46	2.37	2.47	2.62	2.64
G 87.0	1.28	1.26	1.31	1.43	1.63	1.81	1.86	1.70	1.48	1.36	1.47	1.68	1.79
G 88.0	0.65	0.58	0.50	0.43	0.61	0.85	0.95	0.79	0.52	0.36	0.47	0.73	0.94
G 89.0	0.01	0.11	0.20	0.23	0.18	0.10	0.05	0.08	0.15	0.21	0.17	0.13	0.09
G 90.0	0.02	0.04	0.04	0.03	0.02	0.01	0.11	0.22	0.32	0.33	0.22	0.09	0.04
G 91.0	0.85	0.79	0.62	0.48	0.48	0.62	0.81	1.00	1.15	1.21	1.15	1.05	1.03
G 92.0	1.68	1.76	1.68	1.54	1.53	1.52	1.52	1.71	1.94	2.13	2.23	2.25	2.27
G 93.0	2.50	2.54	2.57	2.61	2.63	2.72	2.90	3.16	3.43	3.61	3.62	3.55	3.51
G 94.0	3.33	3.63	3.99	4.28	4.42	4.48	4.61	4.90	5.22	5.42	5.34	5.26	5.18
G 95.0	5.10	5.44	5.88	6.25	6.43	6.52	6.66	6.95	7.26	7.44	7.37	7.18	7.04
G 96.0	7.16	7.57	8.07	8.48	8.67	8.75	8.88	9.16	9.49	9.68	9.60	9.39	9.22
G 97.0	9.41	9.86	10.41	10.86	11.07	11.16	11.32	11.65	12.02	12.20	12.06	11.74	11.48
G 98.0	11.85	12.37	13.01	13.54	13.78	13.86	13.98	14.27	14.58	14.72	14.55	14.22	13.94
G 99.0	14.46	14.99	15.66	16.22	16.51	16.65	16.80	17.08	17.36	17.47	17.28	16.92	16.59
G100.0	17.28	17.84	18.51	19.08	19.35	19.47	19.62	19.93	20.26	20.37	20.12	19.67	19.25
G101.0	20.10	20.70	21.45	22.07	22.39	22.53	22.68	22.98	23.27	23.33	23.01	22.48	21.99
G102.0	23.20	23.84	24.60	25.22	25.53	25.64	25.79	26.09	26.40	26.45	26.10	25.52	24.96
G103.0	26.23	26.90	27.74	28.44	28.79	28.93	29.08	29.39	29.69	29.70	29.25	28.55	27.89
G104.0	29.48	30.18	31.07	31.80	32.17	32.31	32.44	32.72	32.96	32.93	32.45	31.71	31.00
G105.0	32.81	33.56	34.49	35.25	35.62	35.74	35.86	36.13	36.37	36.32	35.77	34.96	34.16
G106.0	36.19	36.96	37.91	38.70	39.10	39.24	39.37	39.63	39.84	39.72	39.09	38.17	37.30
G107.0	39.67	40.46	41.45	42.29	42.72	42.87	42.98	43.19	43.32	43.12	42.41	41.42	40.49
G108.0	43.23	44.07	45.11	45.96	46.37	46.48	46.56	46.77	46.90	46.68	45.92	44.86	43.84
G109.0	46.89	47.71	48.73	49.59	50.03	50.19	50.30	50.53	50.65	50.37	49.51	48.34	47.23
G110.0	50.55	51.45	52.55	53.46	53.89	53.99	54.03	54.19	54.27	53.94	53.02	51.78	50.59
G111.0	54.43	55.32	56.42	57.32	57.74	57.84	57.88	58.01	58.04	57.66	56.69	55.39	54.14
G112.0	58.26	59.17	60.27	61.17	61.59	61.67	61.68	61.79	61.78	61.34	60.28	58.89	57.59
G113.0	62.14	63.09	64.24	65.20	65.65	65.74	65.70	65.71	65.57	65.04	63.94	62.54	61.22
G114.0	66.16	67.10	68.25	69.18	69.62	69.69	69.64	69.62	69.45	68.86	67.68	66.19	64.80
G115.0	70.34	71.24	72.30	73.18	73.59	73.65	73.60	73.56	73.35	72.69	71.44	69.88	68.43
G116.0	74.30	75.17	76.22	77.08	77.48	77.54	77.48	77.41	77.16	76.48	75.20	73.63	72.14
G117.0	78.43	79.38	80.46	81.31	81.65	81.63	81.48	81.37	81.09	80.38	79.08	77.46	75.94
G118.0	82.52	83.45	84.59	85.50	85.88	85.84	85.66	85.51	85.19	84.42	83.04	81.35	79.76
G119.0	86.71	87.63	88.77	89.66	89.96	89.85	89.60	89.41	89.08	88.31	86.91	85.18	83.55
G120.0	91.01	91.96	93.10	93.98	94.25	94.08	93.77	93.51	93.12	92.31	90.91	89.19	87.55
G121.0	95.15	96.03	97.15	98.10	98.58	98.65	98.46	98.11	97.49	96.44	94.87	93.06	91.38
G122.0	99.50	100.40	101.52	102.43	102.81	102.75	102.46	102.07	101.45	100.40	98.83	97.01	95.32
G123.0	103.91	104.79	105.84	106.63	106.83	106.59	106.21	105.87	105.39	104.46	102.93	101.08	99.33
G124.0	108.24	109.05	110.05	110.83	111.10	110.94	110.58	110.14	109.48	108.42	106.86	105.04	103.32
G125.0	112.60	113.46	114.48	115.26	115.48	115.24	114.77	114.22	113.48	112.38	110.84	109.07	107.41
G126.0	116.98	117.85	118.89	119.64	119.77	119.41	118.84	118.24	117.50	116.40	114.84	113.05	111.35
G127.0	121.11	121.92	122.96	123.74	123.92	123.61	123.04	122.39	121.56	120.39	118.78	116.97	115.25
G128.0	125.66	126.43	127.38	128.07	128.16	127.77	127.10	126.32	125.39	124.20	122.72	121.07	119.45
G129.0	130.29	131.02	131.88	132.46	132.44	131.96	131.26	130.51	129.62	128.43	126.85	125.06	123.32
G130.0	134.55	135.19	135.96	136.45	136.37	135.86	135.14	134.39	133.52	132.34	130.78	129.00	127.25
G131.0	138.81	139.44	140.23	140.70	140.53	139.87	139.02	138.21	137.32	136.19	134.69	132.98	131.27
G132.0	143.21	143.71	144.32	144.64	144.40	143.75	142.93	142.15	141.28	140.14	138.60	136.85	135.11
G133.0	147.45	147.98	148.66	149.01	148.68	147.88	146.95	146.14	145.29	144.16	142.58	140.74	138.96
G134.0	151.76	152.28	152.89	153.13	152.67	151.76	150.76	149.93	149.08	147.93	146.28	144.37	142.55
G135.0	155.65	156.12	156.71	156.95	156.49	155.56	154.54	153.68	152.83	151.74	150.21	148.44	146.68
G136.0	160.00	160.30	160.59	160.89	160.34	159.40	158.41	157.60	156.80	155.71	154.14	152.28	150.42
G137.0	163.98	164.18	164.38	164.57	164.00	163.04	162.01	161.11	160.21	159.08	157.58	155.87	154.16
G138.0	167.72	167.97	168.31	168.35	167.78	166.79	165.72	164.79	163.87	162.74	161.27	159.59	157.92
G139.0	171.59	171.81	172.13	172.10	171.43	170.35	169.22	168.30	167.44	166.36	164.89	163.19	161.51
G140.0	175.43	175.54	175.64	175.75	174.99	173.86	172.71	171.79	170.95	169.91	168.49	166.87	165.30
G141.0	179.02	179.09	179.15	179.22	178.46	177.35	176.21	175.28	174.40	173.32	171.87	170.22	168.60
G142.0	182.35	182.48	182.48	182.18	181.49	180.55	179.54	178.62	177.68	176.57	175.21	173.67	172.11
G143.0	185.73	185.78	185.83	185.88	185.10	183.94	182.74	181.75	180.86	179.84	178.53	177.02	175.48
G144.0	189.02	189.27	189.51	189.76	188.80	187.30	185.84	184.81	184.04	183.17	181.95	180.47	178.89
G145.0	192.24	192.22	192.19	192.17	191.31	190.11	188.93	188.07	187.33	186.44	185.17	183.65	182.07

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 11/18													
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 73.0	33.80	32.35	30.69	28.77	26.60	24.24	21.78	19.47	17.60	16.39	15.67	15.18	14.73
G 74.0	30.71	29.43	27.95	26.21	24.22	22.05	19.80	17.71	16.03	14.96	14.34	13.92	13.52
G 75.0	27.56	26.31	24.93	23.40	21.72	19.88	17.91	16.04	14.53	13.58	13.03	12.66	12.29
G 76.0	24.59	23.48	22.26	20.89	19.39	17.74	15.99	14.35	13.04	12.22	11.77	11.46	11.12
G 77.0	21.69	20.69	19.61	18.43	17.14	15.71	14.17	12.70	11.52	10.81	10.42	10.18	9.91
G 78.0	18.90	18.02	17.09	16.09	14.99	13.77	12.44	11.16	10.15	9.54	9.22	9.01	8.77
G 79.0	16.26	15.42	14.57	13.72	12.83	11.84	10.71	9.61	8.75	8.26	8.04	7.89	7.69
G 80.0	13.67	12.98	12.29	11.61	10.89	10.06	9.10	8.16	7.43	7.03	6.85	6.76	6.61
G 81.0	11.17	10.58	10.02	9.49	8.94	8.31	7.54	6.78	6.19	5.89	5.77	5.71	5.58
G 82.0	8.89	8.42	7.98	7.58	7.17	6.68	6.08	5.47	5.01	4.79	4.74	4.72	4.62
G 83.0	6.82	6.44	6.09	5.82	5.54	5.20	4.74	4.27	3.91	3.85	3.79	3.74	3.69
G 84.0	4.93	4.62	4.36	4.19	4.03	3.82	3.52	3.18	2.94	2.92	2.89	2.87	2.83
G 85.0	3.24	3.01	2.85	2.77	2.72	2.63	2.46	2.26	2.11	2.11	2.11	2.11	2.10
G 86.0	2.39	2.00	1.69	1.68	1.66	1.65	1.55	1.39	1.29	1.31	1.41	1.48	1.47
G 87.0	1.68	1.42	1.16	0.99	0.91	0.85	0.79	0.75	0.73	0.77	0.82	0.86	0.86
G 88.0	0.95	0.82	0.63	0.47	0.37	0.32	0.33	0.37	0.42	0.44	0.44	0.45	0.47
G 89.0	0.07	0.07	0.10	0.14	0.18	0.19	0.17	0.13	0.10	0.11	0.13	0.17	0.19
G 90.0	0.17	0.38	0.56	0.61	0.55	0.44	0.31	0.23	0.21	0.28	0.39	0.42	0.34
G 91.0	1.15	1.32	1.40	1.31	1.12	0.90	0.76	0.69	0.66	0.66	0.65	0.63	0.56
G 92.0	2.31	2.34	2.29	2.13	1.89	1.65	1.44	1.29	1.20	1.16	1.15	1.12	1.06
G 93.0	3.56	3.60	3.65	3.42	3.06	2.66	2.32	2.06	1.89	1.82	1.79	1.75	1.64
G 94.0	5.19	5.20	5.22	4.88	4.37	3.82	3.36	3.00	2.75	2.61	2.52	2.44	2.32
G 95.0	7.02	7.00	6.99	6.53	5.85	5.13	4.51	4.03	3.69	3.50	3.39	3.28	3.11
G 96.0	9.21	9.20	8.98	8.38	7.54	6.64	5.84	5.20	4.74	4.48	4.33	4.19	3.98
G 97.0	11.43	11.39	11.09	10.34	9.30	8.19	7.24	6.47	5.91	5.55	5.32	5.12	4.89
G 98.0	13.86	13.76	13.36	12.45	11.20	9.88	8.73	7.80	7.12	6.68	6.41	6.17	5.89
G 99.0	16.41	16.18	15.63	14.57	13.18	11.70	10.36	9.23	8.39	7.85	7.52	7.24	6.92
G100.0	19.00	18.71	18.07	16.86	15.26	13.58	12.04	10.75	9.76	9.10	8.67	8.34	7.98
G101.0	21.69	21.33	20.57	19.18	17.37	15.45	13.70	12.24	11.12	10.38	9.90	9.52	9.11
G102.0	24.59	24.14	23.25	21.67	19.62	17.47	15.49	13.83	12.55	11.70	11.14	10.70	10.24
G103.0	27.46	26.96	25.96	24.20	21.93	19.53	17.34	15.50	14.06	13.07	12.39	11.87	11.38
G104.0	30.48	29.86	28.71	26.77	24.30	21.67	19.24	17.16	15.54	14.43	13.69	13.13	12.58
G105.0	33.57	32.85	31.58	29.45	26.74	23.86	21.19	18.89	17.09	15.85	15.02	14.39	13.79
G106.0	36.66	35.90	34.53	32.20	29.22	26.07	23.14	20.63	18.65	17.27	16.34	15.64	15.00
G107.0	39.79	38.95	37.45	34.95	31.77	28.37	25.19	22.44	20.25	18.73	17.70	16.94	16.24
G108.0	43.06	42.12	40.49	37.82	34.41	30.76	27.32	24.31	21.91	20.24	19.12	18.27	17.51
G109.0	46.38	45.39	43.64	40.75	37.07	33.13	29.43	26.21	23.63	21.79	20.53	19.60	18.78
G110.0	49.68	48.59	46.72	43.67	39.77	35.57	31.57	28.04	25.22	23.25	21.92	20.94	20.05
G111.0	53.15	51.98	49.98	46.74	42.60	38.12	33.81	29.98	26.90	24.74	23.29	22.24	21.33
G112.0	56.60	55.42	53.35	49.91	45.50	40.70	36.08	31.97	28.66	26.33	24.77	23.62	22.62
G113.0	60.17	58.87	56.64	53.00	48.35	43.28	38.37	33.98	30.44	27.96	26.29	25.06	23.98
G114.0	63.71	62.37	60.07	56.28	51.41	46.08	40.86	36.15	32.32	29.60	27.75	26.41	25.29
G115.0	67.30	65.91	63.49	59.49	54.35	48.73	43.25	38.30	34.25	31.33	29.30	27.84	26.64
G116.0	70.96	69.50	66.97	62.84	57.52	51.65	45.83	40.52	36.16	33.03	30.87	29.31	28.01
G117.0	74.72	73.19	70.55	66.24	60.67	54.52	48.41	42.81	38.17	34.80	32.45	30.75	29.37
G118.0	78.49	76.91	74.17	69.69	63.90	57.47	51.06	45.15	40.23	36.61	34.06	32.21	30.75
G119.0	82.23	80.58	77.75	73.16	67.19	60.53	53.79	47.54	42.31	38.47	35.77	33.80	32.20
G120.0	86.17	84.41	81.46	76.71	70.57	63.67	56.66	50.10	44.57	40.46	37.53	35.39	33.69
G121.0	89.98	88.20	85.16	80.24	73.86	66.68	59.38	52.54	46.74	42.39	39.26	36.96	35.15
G122.0	93.93	92.13	89.01	83.95	77.35	69.92	62.32	55.17	49.08	44.47	41.12	38.64	36.69
G123.0	97.86	95.99	92.80	87.65	80.94	73.32	65.44	57.95	51.51	46.58	42.97	40.29	38.24
G124.0	101.85	99.93	96.65	91.37	84.48	76.64	68.51	60.75	54.01	48.79	44.90	42.02	39.83
G125.0	105.96	104.02	100.65	95.21	88.11	80.03	71.64	63.62	56.61	51.14	47.01	43.91	41.53
G126.0	109.85	107.84	104.45	99.01	91.89	83.68	75.02	66.62	59.23	53.41	49.01	45.70	43.18
G127.0	113.73	111.69	108.25	102.74	95.50	87.14	78.27	69.62	61.97	55.90	51.26	47.73	45.02
G128.0	117.86	115.66	112.05	106.43	99.12	90.66	81.64	72.78	64.85	58.45	53.47	49.66	46.77
G129.0	121.70	119.52	115.94	110.32	102.97	94.41	85.21	76.10	67.86	61.11	55.80	51.71	48.62
G130.0	125.60	123.37	119.73	114.06	106.62	97.95	88.60	79.30	70.83	63.82	58.24	53.89	50.59
G131.0	129.61	127.34	123.66	117.96	110.50	101.75	92.24	82.72	74.00	66.73	60.87	56.25	52.68
G132.0	133.46	131.22	127.55	121.83	114.31	105.51	95.94	86.33	77.41	69.79	63.53	58.55	54.73
G133.0	137.31	135.11	131.46	125.71	118.14	109.27	99.66	89.95	80.85	72.91	66.27	60.95	56.91
G134.0	140.95	138.84	135.27	129.55	121.97	113.04	103.32	93.48	84.20	76.05	69.16	63.55	59.20
G135.0	145.03	142.79	139.09	133.31	125.70	116.79	107.10	97.23	87.82	79.39	72.15	66.21	61.62
G136.0	148.65	146.35	142.72	137.15	129.80	121.04	111.28	101.19	91.51	82.86	75.41	69.23	64.34
G137.0	152.52	150.26	146.53	140.71	133.10	124.24	114.65	104.84	95.30	86.49	78.68	72.09	66.87
G138.0	156.28	154.03	150.31	144.53	136.99	128.22	118.74	108.99	99.39	90.36	82.21	75.25	69.69
G139.0	159.92	157.72	154.06	148.28	140.72	131.92	122.44	112.69	103.08	93.99	85.73	78.57	72.73
G140.0	163.87	161.83	158.21	152.35	144.66	135.82	126.46	116.88	107.35	98.14	89.60	82.11	75.95
G141.0	167.08	164.98	161.41	155.74	148.33	139.74	130.52	120.99	111.42	102.10	93.39	85.67	79.23
G142.0	170.50	168.26	164.64	159.09	151.91	143.57	134.55	125.13	115.60	106.25	97.43	89.52	82.81
G143.0	173.91	171.74	168.20	162.78	155.72	147.49	138.54	129.19	119.72	110.44	101.64	93.62	86.67
G144.0	177.25	174.99	171.41	165.99	159.03	151.03	142.44	133.45	124.24	115.00	106.07	97.81	90.57
G145.0	180.46	178.28	174.81	169.54	162.75	154.90	146.44	137.57	128.45	119.28	110.38	102.10	94.75

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG Asymmetrical	

Luminous Intensity Table cd/klm Table 12/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	14.31	14.02	13.98	13.93	13.89	13.85	13.81
G 74.0	13.16	12.89	12.85	12.82	12.78	12.74	12.70
G 75.0	11.94	11.70	11.69	11.68	11.66	11.64	11.62
G 76.0	10.80	10.57	10.57	10.57	10.57	10.56	10.55
G 77.0	9.66	9.49	9.50	9.51	9.53	9.54	9.51
G 78.0	8.54	8.38	8.42	8.45	8.48	8.51	8.50
G 79.0	7.48	7.33	7.37	7.41	7.45	7.46	7.46
G 80.0	6.45	6.35	6.40	6.45	6.50	6.52	6.51
G 81.0	5.44	5.35	5.37	5.46	5.55	5.55	5.56
G 82.0	4.50	4.42	4.45	4.53	4.62	4.64	4.65
G 83.0	3.61	3.57	3.62	3.71	3.79	3.79	3.79
G 84.0	2.76	2.73	2.78	2.89	2.98	3.00	3.01
G 85.0	2.07	2.07	2.10	2.17	2.24	2.28	2.31
G 86.0	1.42	1.40	1.46	1.56	1.65	1.68	1.67
G 87.0	0.84	0.85	0.90	0.98	1.06	1.10	1.12
G 88.0	0.50	0.54	0.56	0.59	0.61	0.62	0.63
G 89.0	0.20	0.22	0.25	0.29	0.32	0.36	0.38
G 90.0	0.20	0.10	0.10	0.17	0.26	0.31	0.34
G 91.0	0.47	0.42	0.43	0.44	0.46	0.46	0.44
G 92.0	0.98	0.91	0.89	0.88	0.87	0.82	0.74
G 93.0	1.51	1.41	1.41	1.41	1.41	1.35	1.25
G 94.0	2.20	2.10	2.03	1.99	1.94	1.86	1.76
G 95.0	2.93	2.79	2.72	2.69	2.66	2.58	2.47
G 96.0	3.75	3.57	3.48	3.44	3.41	3.32	3.18
G 97.0	4.65	4.47	4.37	4.31	4.25	4.13	3.98
G 98.0	5.60	5.38	5.26	5.20	5.14	5.03	4.86
G 99.0	6.59	6.33	6.18	6.11	6.04	5.91	5.75
G100.0	7.64	7.36	7.19	7.08	6.98	6.84	6.67
G101.0	8.71	8.39	8.21	8.10	8.01	7.87	7.68
G102.0	9.80	9.45	9.24	9.12	9.01	8.86	8.68
G103.0	10.92	10.57	10.34	10.19	10.05	9.88	9.68
G104.0	12.08	11.68	11.43	11.28	11.15	10.97	10.76
G105.0	13.24	12.80	12.52	12.35	12.21	12.03	11.83
G106.0	14.43	13.99	13.69	13.49	13.32	13.13	12.90
G107.0	15.62	15.14	14.82	14.61	14.44	14.24	14.02
G108.0	16.83	16.29	15.94	15.72	15.54	15.34	15.12
G109.0	18.08	17.52	17.14	16.88	16.67	16.46	16.23
G110.0	19.28	18.68	18.28	18.04	17.85	17.63	17.40
G111.0	20.54	19.92	19.50	19.21	18.98	18.76	18.53
G112.0	21.76	21.10	20.65	20.37	20.15	19.92	19.67
G113.0	23.05	22.33	21.86	21.58	21.36	21.13	20.88
G114.0	24.35	23.62	23.13	22.80	22.55	22.31	22.06
G115.0	25.67	24.93	24.42	24.06	23.78	23.50	23.21
G116.0	26.94	26.14	25.60	25.26	24.99	24.73	24.45
G117.0	28.26	27.42	26.83	26.43	26.12	25.85	25.59
G118.0	29.60	28.74	28.13	27.70	27.37	27.07	26.77
G119.0	30.93	29.98	29.34	28.92	28.61	28.32	28.02
G120.0	32.35	31.34	30.64	30.16	29.80	29.47	29.16
G121.0	33.75	32.70	31.96	31.45	31.06	30.73	30.41
G122.0	35.17	34.06	33.31	32.79	32.41	32.05	31.69
G123.0	36.68	35.54	34.72	34.13	33.69	33.31	32.96
G124.0	38.19	36.99	36.13	35.52	35.06	34.67	34.33
G125.0	39.73	38.42	37.50	36.86	36.40	36.02	35.70
G126.0	41.30	39.94	38.98	38.30	37.81	37.39	37.02
G127.0	42.98	41.51	40.49	39.78	39.27	38.84	38.45
G128.0	44.63	43.08	41.98	41.21	40.66	40.24	39.88
G129.0	46.35	44.70	43.52	42.69	42.10	41.67	41.34
G130.0	48.15	46.39	45.14	44.27	43.66	43.21	42.84
G131.0	50.01	48.08	46.74	45.84	45.21	44.72	44.29
G132.0	51.91	49.87	48.43	47.43	46.74	46.22	45.81
G133.0	53.95	51.82	50.30	49.22	48.46	47.87	47.40
G134.0	55.96	53.63	52.02	50.93	50.17	49.57	49.05
G135.0	58.21	55.73	53.94	52.68	51.80	51.16	50.67
G136.0	60.62	57.88	55.96	54.64	53.74	53.08	52.55
G137.0	62.91	60.00	57.95	56.56	55.60	54.89	54.33
G138.0	65.43	62.29	60.09	58.59	57.55	56.76	56.11
G139.0	68.17	64.77	62.39	60.79	59.68	58.84	58.14
G140.0	71.11	67.45	64.85	63.07	61.86	60.97	60.29
G141.0	74.10	70.20	67.45	65.57	64.28	63.30	62.51
G142.0	77.38	73.19	70.19	68.13	66.71	65.67	64.87
G143.0	80.88	76.35	73.10	70.86	69.32	68.19	67.31
G144.0	84.50	79.71	76.22	73.81	72.13	70.90	69.96
G145.0	88.49	83.47	79.75	77.11	75.25	73.92	72.91

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%
Sources Flux		833.56 lm	Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 13/18													
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	75.09	75.74	76.55	77.68	79.30	81.69	85.17	89.96	95.94	102.90	110.64	118.97	127.70
G147.0	78.51	79.13	79.94	81.13	82.93	85.56	89.30	94.32	100.48	107.53	115.27	123.51	132.09
G148.0	82.16	82.84	83.71	84.97	86.82	89.55	93.43	98.65	104.99	112.16	119.88	127.99	136.37
G149.0	85.93	86.75	87.75	89.11	91.02	93.81	97.83	103.30	109.89	117.16	124.73	132.56	140.66
G150.0	90.10	90.98	92.04	93.48	95.51	98.44	102.57	108.10	114.71	121.95	129.45	137.13	144.98
G151.0	94.66	95.60	96.72	98.22	100.30	103.28	107.50	113.13	119.81	127.03	134.35	141.77	149.37
G152.0	99.65	100.54	101.65	103.20	105.43	108.58	112.88	118.48	125.04	132.11	139.33	146.62	154.02
G153.0	104.72	105.73	106.96	108.65	111.02	114.26	118.57	124.03	130.33	137.07	143.93	150.86	157.94
G154.0	110.21	111.17	112.38	114.09	116.54	119.87	124.23	129.66	135.85	142.39	148.95	155.53	162.24
G155.0	116.02	117.00	118.23	119.95	122.40	125.70	129.96	135.22	141.16	147.41	153.66	159.93	166.30
G156.0	122.29	123.43	124.75	126.40	128.58	131.53	135.49	140.60	146.48	152.62	158.62	164.52	170.48
G157.0	128.72	129.72	130.89	132.40	134.42	137.21	141.02	145.99	151.68	157.55	163.18	168.69	174.34
G158.0	134.82	135.78	136.90	138.34	140.28	142.95	146.63	151.41	156.88	162.48	167.77	172.96	178.37
G159.0	140.91	141.68	142.67	144.13	146.25	149.12	152.82	157.32	162.30	167.34	172.16	176.95	182.02
G160.0	147.33	148.15	149.17	150.57	152.54	155.17	158.55	162.67	167.27	171.97	176.53	181.09	185.91
G161.0	153.64	154.52	155.57	156.94	158.79	161.19	164.22	167.87	171.95	176.23	180.51	184.86	189.40
G162.0	159.75	160.69	161.73	162.99	164.57	166.63	169.33	172.73	176.62	180.68	184.69	188.71	192.89
G163.0	166.10	166.81	167.66	168.76	170.25	172.21	174.74	177.86	181.38	185.07	188.74	192.45	196.33
G164.0	171.76	172.47	173.34	174.53	176.18	178.27	180.73	183.52	186.52	189.63	192.78	196.07	199.61
G165.0	177.73	178.31	179.03	180.02	181.40	183.22	185.51	188.24	191.23	194.21	197.02	199.83	202.89
G166.0	183.00	183.63	184.32	185.13	186.15	187.57	189.62	192.38	195.52	198.57	201.18	203.59	206.13
G167.0	188.49	189.24	190.00	190.78	191.62	192.70	194.22	196.31	198.79	201.38	203.91	206.44	209.13
G168.0	193.16	194.08	195.00	195.93	196.90	197.99	199.32	200.95	202.85	204.92	207.10	209.44	211.98
G169.0	197.91	198.39	198.94	199.62	200.49	201.59	202.97	204.65	206.53	208.53	210.55	212.63	214.81
G170.0	202.71	203.15	203.60	204.05	204.54	205.25	206.39	208.08	210.10	212.13	213.94	215.64	217.44
G171.0	206.72	207.30	207.85	208.38	208.90	209.52	210.42	211.67	213.20	214.84	216.47	218.12	219.84
G172.0	211.12	211.60	212.06	212.49	212.89	213.38	214.09	215.14	216.41	217.79	219.15	220.53	221.99
G173.0	214.92	215.48	215.99	216.39	216.68	217.00	217.51	218.36	219.44	220.61	221.77	222.93	224.13
G174.0	218.54	218.88	219.20	219.49	219.75	220.09	220.63	221.47	222.48	223.51	224.44	225.32	226.24
G175.0	222.47	222.53	222.59	222.66	222.91	223.28	223.73	224.26	224.87	225.58	226.40	227.30	228.23
G176.0	225.58	225.62	225.68	225.76	225.88	226.08	226.39	226.82	227.34	227.91	228.50	229.09	229.68
G177.0	228.36	228.37	228.38	228.39	228.41	228.47	228.65	228.95	229.34	229.76	230.15	230.54	230.96
G178.0	230.53	230.59	230.64	230.66	230.69	230.72	230.75	230.97	231.28	231.60	231.89	232.15	232.42
G179.0	232.51	232.61	232.68	232.69	232.63	232.55	232.52	232.61	232.78	232.97	233.14	233.30	233.47
G180.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 14/18															
	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00		
G146.0	136.61	145.30	153.31	160.27	166.14	170.95	174.76	177.83	180.41	182.72	184.70	186.25	187.32		
G147.0	140.81	149.33	157.27	164.31	170.28	175.07	178.66	181.39	183.68	185.84	187.79	189.32	190.33		
G148.0	144.87	153.15	160.81	167.52	173.19	177.79	181.32	184.10	186.49	188.74	190.76	192.34	193.38		
G149.0	148.97	157.09	164.56	170.97	176.33	180.71	184.22	187.08	189.55	191.79	193.72	195.22	196.20		
G150.0	152.94	160.70	167.89	174.20	179.56	183.96	187.43	190.21	192.57	194.70	196.55	197.97	198.91		
G151.0	157.13	164.72	171.72	177.78	182.88	187.07	190.41	193.13	195.48	197.64	199.52	200.93	201.80		
G152.0	161.47	168.69	175.31	181.05	185.91	189.96	193.27	196.02	198.35	200.41	202.14	203.45	204.31		
G153.0	165.14	172.16	178.62	184.21	188.92	192.82	196.00	198.66	201.01	203.17	204.92	205.91	206.02		
G154.0	169.08	175.76	181.95	187.33	191.91	195.72	198.84	201.40	203.56	205.44	207.00	208.20	209.03		
G155.0	172.81	179.19	185.12	190.35	194.79	198.44	201.33	203.70	205.86	208.00	209.90	211.25	211.86		
G156.0	176.56	182.56	188.19	193.20	197.52	201.15	204.08	206.49	208.59	210.51	212.16	213.38	214.09		
G157.0	180.27	186.18	191.64	196.32	200.26	203.59	206.45	208.90	211.02	212.85	214.33	215.37	215.95		
G158.0	184.20	190.05	195.35	199.69	203.18	206.08	208.62	210.91	213.04	215.05	216.77	217.99	218.60		
G159.0	187.57	193.22	198.49	202.98	206.67	209.64	211.98	213.87	215.55	217.13	218.49	219.41	219.80		
G160.0	191.13	196.37	201.14	205.07	208.27	210.97	213.36	215.50	217.38	219.03	220.38	221.37	221.99		
G161.0	194.19	198.95	203.34	207.09	210.24	212.92	215.24	217.28	219.11	220.75	222.12	223.10	223.65		
G162.0	197.31	201.74	205.91	209.59	212.70	215.25	217.26	218.94	220.56	222.26	223.86	225.06	225.70		
G163.0	200.43	204.56	208.47	211.92	214.86	217.25	219.10	220.66	222.21	223.92	225.56	226.77	227.34		
G164.0	203.47	207.40	211.09	214.28	216.96	219.16	220.95	222.48	223.92	225.37	226.75	227.91	228.73		
G165.0	206.35	209.96	213.38	216.31	218.73	220.69	222.26	223.64	225.06	226.67	228.24	229.44	230.07		
G166.0	209.06	212.22	215.35	218.20	220.68	222.72	224.31	225.64	226.99	228.52	229.97	230.98	231.33		
G167.0	212.06	215.06	217.88	220.33	222.42	224.20	225.74	227.15	228.53	229.95	231.23	232.14	232.53		
G168.0	214.73	217.51	220.07	222.23	224.05	225.60	226.99	228.28	229.51	230.72	231.81	232.64	233.16		
G169.0	217.12	219.45	221.65	223.61	225.34	226.86	228.22	229.47	230.67	231.86	232.92	233.71	234.13		
G170.0	219.45	221.55	223.54	225.27	226.74	228.02	229.16	230.26	231.42	232.67	233.85	234.74	235.20		
G171.0	221.65	223.49	225.23	226.80	228.18	229.37	230.39	231.34	232.34	233.44	234.49	235.28	235.67		
G172.0	223.56	225.16	226.69	228.06	229.27	230.32	231.23	232.08	232.95	233.89	234.80	235.54	236.01		
G173.0	225.40	226.71	228.00	229.22	230.34	231.32	232.15	232.91	233.69	234.56	235.39	236.04	236.39		
G174.0	227.26	228.36	229.49	230.61	231.64	232.51	233.17	233.74	234.38	235.16	235.93	236.48	236.67		
G175.0	229.16	230.06	230.93	231.76	232.48	233.06	233.47	233.85	234.38	235.16	236.00	236.60	236.79		
G176.0	230.30	230.95	231.67	232.44	233.19	233.78	234.15	234.44	234.82	235.42	236.07	236.57	236.77		
G177.0	231.45	231.97	232.51	233.04	233.53	233.95	234.31	234.65	235.06	235.58	236.06	236.34	236.33		
G178.0	232.70	233.00	233.32	233.65	233.96	234.19	234.34	234.48	234.72	235.12	235.56	235.86	235.91		
G179.0	233.66	233.88	234.11	234.34	234.53	234.63	234.65	234.68	234.70	234.99	235.34	235.55	235.50		
G180.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38		

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 15/18															
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00		
G146.0	188.17	189.10	190.33	191.68	192.83	193.58	194.07	194.54	195.14	195.72	196.04	195.94	195.62		
G147.0	191.12	192.07	193.44	194.95	196.18	196.85	197.18	197.51	198.07	198.67	199.01	198.89	198.50		
G148.0	194.17	195.07	196.35	197.75	198.89	199.52	199.84	200.16	200.71	201.29	201.62	201.51	201.13		
G149.0	196.96	197.83	199.07	200.44	201.57	202.22	202.58	202.95	203.52	204.10	204.43	204.30	203.92		
G150.0	199.63	200.45	201.61	202.91	204.03	204.76	205.25	205.75	206.42	207.05	207.33	207.08	206.54		
G151.0	202.40	203.12	204.20	205.45	206.57	207.33	207.86	208.36	208.97	209.52	209.80	209.64	209.24		
G152.0	204.98	205.81	207.01	208.35	209.46	210.10	210.45	210.79	211.31	211.84	212.12	212.00	211.63		
G153.0	206.12	206.23	207.72	209.76	211.53	212.44	212.75	212.94	213.37	213.88	214.21	214.14	213.84		
G154.0	209.67	210.35	211.25	212.27	213.22	213.99	214.63	215.25	215.90	216.45	216.71	216.58	216.22		
G155.0	212.10	212.46	213.30	214.44	215.51	216.28	216.82	217.31	217.85	218.35	218.65	218.63	218.42		
G156.0	214.54	215.09	215.95	216.98	217.92	218.57	218.99	219.33	219.70	220.06	220.40	220.65	220.77		
G157.0	216.35	216.93	217.93	219.10	220.07	220.58	220.79	220.96	221.31	221.76	222.20	222.52	222.68		
G158.0	218.91	219.31	220.10	221.07	221.89	222.33	222.54	222.75	223.14	223.61	223.98	224.13	224.09		
G159.0	220.00	220.50	221.57	222.83	223.67	223.73	223.44	223.44	224.16	225.19	225.92	225.90	225.43		
G160.0	222.44	222.98	223.77	224.65	225.38	225.78	225.99	226.24	226.66	227.10	227.33	227.21	226.90		
G161.0	223.99	224.42	225.14	226.00	226.74	227.17	227.42	227.66	228.04	228.42	228.65	228.61	228.41		
G162.0	225.99	226.26	226.77	227.42	228.03	228.47	228.81	229.16	229.60	230.00	230.19	230.07	229.79		
G163.0	227.54	227.76	228.30	229.01	229.66	230.05	230.29	230.53	230.90	231.30	231.61	231.72	231.70		
G164.0	229.32	229.82	230.35	230.84	231.22	231.43	231.57	231.78	232.15	232.54	232.75	232.66	232.42		
G165.0	230.35	230.61	231.11	231.72	232.24	232.52	232.68	232.86	233.19	233.54	233.71	233.60	233.38		
G166.0	231.35	231.49	232.09	232.92	233.63	233.96	234.06	234.15	234.40	234.70	234.85	234.72	234.49		
G167.0	232.66	232.87	233.38	234.06	234.64	234.94	235.08	235.22	235.50	235.80	235.98	235.87	235.76		
G168.0	233.48	233.80	234.24	234.74	235.17	235.44	235.64	235.90	236.30	236.71	236.92	236.82	236.56		
G169.0	234.38	234.67	235.17	235.76	236.22	236.42	236.48	236.58	236.85	237.17	237.36	237.29	237.11		
G170.0	235.40	235.62	236.03	236.55	237.00	237.27	237.41	237.53	237.71	237.90	238.01	237.99	237.90		
G171.0	235.83	236.01	236.40	236.90	237.36	237.67	237.90	238.14	238.48	238.79	238.91	238.76	238.47		
G172.0	236.31	236.60	236.99	237.44	237.87	238.23	238.50	238.72	238.89	238.98	238.96	238.86	238.77		
G173.0	236.59	236.82	237.23	237.71	238.13	238.36	238.49	238.65	238.92	239.16	239.22	239.00	238.72		
G174.0	236.70	236.86	237.31	237.91	238.37	238.52	238.51	238.58	238.87	239.21	239.36	239.17	238.86		
G175.0	236.77	236.84	237.20	237.73	238.21	238.45	238.54	238.60	238.73	238.90	239.07	239.17	239.24		
G176.0	236.80	236.88	237.17	237.56	237.90	238.06	238.11	238.18	238.34	238.53	238.65	238.63	238.54		
G177.0	236.21	236.24	236.62	237.17	237.63	237.67	237.70	237.74	237.77	237.85	237.92	237.94	237.91		
G178.0	235.84	235.84	236.04	236.36	236.61	236.61	236.61	236.62	236.70	236.78	236.87	236.96	237.02		
G179.0	235.30	235.16	235.20	235.36	235.53	235.62	235.64	235.66	235.70	235.76	235.79	235.78	235.75		
G180.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38		

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power		12.60 W	Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm	Maximum value		239.81 cd/klm	Position		C=150.00 G=6.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 16/18													
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	195.35	195.30	195.26	194.93	194.09	192.95	191.84	190.97	190.19	189.27	188.04	186.59	185.11
G147.0	198.15	198.05	197.98	197.66	196.88	195.84	194.81	194.01	193.29	192.44	191.27	189.88	188.41
G148.0	200.80	200.71	200.66	200.36	199.64	198.64	197.65	196.84	196.09	195.22	194.08	192.76	191.39
G149.0	203.60	203.52	203.49	203.19	202.43	201.38	200.34	199.52	198.79	197.97	196.90	195.64	194.30
G150.0	206.10	205.99	205.96	205.63	204.76	203.60	202.56	201.91	201.45	200.85	199.86	198.58	197.17
G151.0	208.87	208.71	208.59	208.22	207.44	206.44	205.51	204.85	204.34	203.76	202.95	201.87	200.49
G152.0	211.27	211.11	210.96	210.55	209.72	208.68	207.75	207.13	206.66	206.08	205.17	203.98	202.64
G153.0	213.54	213.39	213.23	212.80	211.97	210.95	210.07	209.54	209.17	208.63	207.69	206.43	205.01
G154.0	215.87	215.71	215.57	215.25	214.57	213.69	212.80	212.06	211.40	210.69	209.84	208.81	207.60
G155.0	218.15	217.95	217.70	217.29	216.61	215.80	215.07	214.53	214.04	213.38	212.40	211.20	209.92
G156.0	220.69	220.37	219.87	219.23	218.52	217.82	217.24	216.80	216.36	215.75	214.82	213.63	212.32
G157.0	222.62	222.34	221.85	221.19	220.40	219.62	218.98	218.58	218.24	217.74	216.89	215.75	214.44
G158.0	223.97	223.80	223.55	223.12	222.48	221.77	221.18	220.82	220.52	220.02	219.14	217.97	216.67
G159.0	224.97	224.86	224.90	224.78	224.26	223.54	222.89	222.52	222.25	221.81	221.03	219.97	218.75
G160.0	226.65	226.60	226.55	226.51	225.99	225.31	224.73	224.43	224.22	223.82	223.03	221.91	220.59
G161.0	228.24	228.21	228.20	228.01	227.52	226.88	226.32	226.00	225.74	225.33	224.57	223.54	222.37
G162.0	229.54	229.48	229.47	229.32	228.92	228.38	227.90	227.60	227.34	226.93	226.23	225.28	224.18
G163.0	231.61	231.52	231.36	231.07	230.59	230.05	229.59	229.31	229.05	228.59	227.79	226.75	225.63
G164.0	232.24	232.29	232.39	232.32	231.93	231.36	230.83	230.50	230.23	229.81	229.09	228.13	227.04
G165.0	233.30	233.42	233.55	233.68	233.16	232.41	231.78	231.52	231.41	231.13	230.42	229.39	228.24
G166.0	234.39	234.50	234.61	234.72	234.16	233.37	232.73	232.50	232.45	232.23	231.60	230.67	229.63
G167.0	235.64	235.64	235.64	235.64	235.37	234.96	234.51	234.12	233.72	233.21	232.53	231.70	230.78
G168.0	236.35	236.36	236.48	236.53	236.39	236.10	235.73	235.32	234.84	234.21	233.40	232.49	231.60
G169.0	237.00	237.10	237.26	237.29	237.04	236.61	236.15	235.77	235.42	234.97	234.37	233.62	232.78
G170.0	237.85	237.84	237.83	237.82	237.53	237.12	236.72	236.43	236.16	235.77	235.16	234.41	233.64
G171.0	238.27	238.30	238.43	238.44	238.18	237.79	237.42	237.20	237.00	236.63	235.96	235.09	234.22
G172.0	238.68	238.97	239.29	239.34	238.91	238.23	237.61	237.27	237.06	236.72	236.09	235.28	234.51
G173.0	238.68	239.09	239.60	239.79	239.34	238.52	237.72	237.25	236.97	236.66	236.17	235.59	235.06
G174.0	238.78	239.13	239.61	239.81	239.42	238.67	237.91	237.39	237.04	236.72	236.30	235.82	235.33
G175.0	239.28	239.30	239.26	239.08	238.73	238.30	237.88	237.57	237.30	237.00	236.60	236.15	235.70
G176.0	238.44	238.40	238.37	238.31	238.16	237.95	237.70	237.42	237.12	236.78	236.40	236.00	235.58
G177.0	237.82	237.70	237.55	237.40	237.28	237.17	237.07	236.96	236.81	236.59	236.30	235.97	235.66
G178.0	237.01	236.94	236.81	236.66	236.52	236.38	236.28	236.21	236.14	236.05	235.90	235.72	235.55
G179.0	235.72	235.71	235.70	235.67	235.60	235.52	235.45	235.41	235.39	235.37	235.32	235.24	235.12
G180.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm	Luminaire Power		12.60 W	Efficacy	66.16 lm/W		Efficiency	100.00%			
Sources Flux		833.56 lm	Maximum value		239.81 cd/klm	Position	C=150.00 G=6.00		CG	Asymmetrical			
Luminous Intensity Table cd/klm Table 17/18													
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	183.63	181.55	178.17	172.96	166.23	158.50	150.23	141.59	132.72	123.76	114.97	106.64	99.07
G147.0	186.84	184.68	181.26	176.13	169.58	162.09	154.07	145.68	137.01	128.20	119.50	111.19	103.55
G148.0	189.97	187.94	184.58	179.39	172.77	165.32	157.53	149.50	141.20	132.66	124.13	115.88	108.22
G149.0	192.86	190.78	187.44	182.36	175.95	168.77	161.32	153.64	145.69	137.47	129.16	121.00	113.24
G150.0	195.68	193.59	190.30	185.38	179.17	172.22	164.99	157.53	149.80	141.81	133.72	125.74	118.11
G151.0	198.77	196.41	193.04	188.42	182.71	176.20	169.14	161.71	154.08	146.37	138.64	130.93	123.33
G152.0	201.14	199.10	196.02	191.55	185.93	179.53	172.70	165.57	158.22	150.75	143.23	135.75	128.44
G153.0	203.49	201.50	198.56	194.32	188.99	182.86	176.24	169.31	162.25	155.19	148.12	140.99	133.84
G154.0	206.14	204.14	201.22	197.14	192.04	186.21	179.88	173.25	166.49	159.73	152.96	146.11	139.20
G155.0	208.60	206.82	204.07	199.97	194.81	189.04	183.04	176.89	170.62	164.23	157.73	151.13	144.49
G156.0	210.90	209.04	206.31	202.41	197.57	192.14	186.44	180.57	174.56	168.47	162.30	156.03	149.71
G157.0	213.00	211.14	208.51	204.85	200.31	195.17	189.66	183.96	178.22	172.55	166.84	160.96	154.86
G158.0	215.30	213.55	211.03	207.45	203.02	198.07	192.88	187.56	182.18	176.77	171.29	165.68	159.94
G159.0	217.44	215.73	213.24	209.73	205.43	200.70	195.86	190.93	185.92	180.80	175.57	170.23	164.82
G160.0	219.13	217.35	215.00	211.88	208.09	203.79	199.13	194.30	189.45	184.69	179.95	175.09	170.06
G161.0	221.12	219.53	217.29	214.18	210.38	206.15	201.76	197.30	192.84	188.45	184.03	179.52	174.87
G162.0	222.96	221.39	219.20	216.20	212.56	208.56	204.45	200.30	196.16	192.05	187.91	183.66	179.28
G163.0	224.54	223.18	221.20	218.35	214.85	211.06	207.24	203.46	199.68	195.89	192.03	188.06	183.98
G164.0	225.87	224.46	222.58	220.08	217.09	213.79	210.33	206.76	203.09	199.32	195.52	191.74	188.06
G165.0	227.09	225.76	224.01	221.68	218.89	215.82	212.66	209.43	206.14	202.79	199.40	195.96	192.53
G166.0	228.60	227.41	225.78	223.53	220.81	217.83	214.78	211.73	208.70	205.72	202.72	199.65	196.51
G167.0	229.77	228.55	226.95	224.87	222.43	219.83	217.22	214.58	211.83	208.93	205.97	203.05	200.28
G168.0	230.79	229.85	228.48	226.50	224.11	221.60	219.19	216.85	214.49	212.03	209.45	206.79	204.08
G169.0	231.88	230.82	229.46	227.71	225.68	223.50	221.28	219.07	216.88	214.71	212.48	210.14	207.66
G170.0	232.91	232.02	230.72	228.86	226.69	224.57	222.74	221.12	219.51	217.75	215.81	213.70	211.44
G171.0	233.44	232.61	231.50	229.97	228.18	226.36	224.70	223.17	221.67	220.12	218.48	216.71	214.80
G172.0	233.91	233.30	232.43	231.14	229.58	228.00	226.56	225.23	223.89	222.45	220.90	219.26	217.57
G173.0	234.66	234.20	233.43	232.18	230.67	229.20	228.00	226.96	225.86	224.56	223.13	221.71	220.39
G174.0	234.89	234.37	233.65	232.65	231.49	230.36	229.40	228.53	227.65	226.67	225.60	224.46	223.29
G175.0	235.27	234.78	234.08	233.12	232.09	231.26	230.81	230.50	230.01	229.11	227.92	226.68	225.58
G176.0	235.16	234.71	234.20	233.59	232.97	232.43	232.01	231.61	231.07	230.31	229.41	228.55	227.83
G177.0	235.41	235.12	234.70	234.06	233.34	232.73	232.33	232.07	231.79	231.38	230.87	230.33	229.82
G178.0	235.40	235.20	234.84	234.30	233.77	233.52	233.70	234.01	234.02	233.47	232.60	231.80	231.35
G179.0	234.96	234.80	234.67	234.65	234.62	234.60	234.50	234.40	234.30	233.94	233.51	233.14	232.90
G180.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38	234.38

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 18/18


	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	92.50	87.19	83.29	80.54	78.61	77.17	76.05
G147.0	96.86	91.36	87.24	84.27	82.16	80.63	79.48
G148.0	101.41	95.75	91.42	88.26	86.00	84.37	83.16
G149.0	106.23	100.33	95.80	92.47	90.06	88.32	87.02
G150.0	111.15	105.24	100.62	97.16	94.61	92.73	91.30
G151.0	116.27	110.22	105.56	102.10	99.53	97.58	96.02
G152.0	121.63	115.69	110.91	107.21	104.43	102.41	100.90
G153.0	127.06	121.11	116.34	112.66	109.87	107.77	106.13
G154.0	132.60	126.74	121.98	118.26	115.41	113.27	111.62
G155.0	138.14	132.47	127.77	124.04	121.16	119.03	117.40
G156.0	143.65	138.20	133.65	130.00	127.19	125.12	123.58
G157.0	148.92	143.63	139.34	136.01	133.47	131.55	130.03
G158.0	154.41	149.47	145.45	142.27	139.78	137.83	136.23
G159.0	159.64	155.03	151.26	148.26	145.88	143.97	142.36
G160.0	165.17	160.81	157.29	154.52	152.30	150.44	148.83
G161.0	170.36	166.33	163.02	160.38	158.26	156.51	155.01
G162.0	175.06	171.35	168.41	166.11	164.24	162.62	161.15
G163.0	180.05	176.59	173.84	171.71	170.01	168.57	167.29
G164.0	184.64	181.63	179.17	177.18	175.54	174.15	172.92
G165.0	189.27	186.41	184.10	182.28	180.83	179.65	178.65
G166.0	193.50	190.91	188.92	187.42	186.19	185.08	184.03
G167.0	197.73	195.47	193.56	191.99	190.75	189.82	189.10
G168.0	201.54	199.41	197.86	196.74	195.83	194.95	194.06
G169.0	205.28	203.32	201.97	201.06	200.34	199.57	198.76
G170.0	209.27	207.45	206.15	205.25	204.57	203.94	203.32
G171.0	212.94	211.38	210.26	209.48	208.83	208.16	207.45
G172.0	215.99	214.73	213.94	213.44	213.01	212.47	211.82
G173.0	219.23	218.23	217.40	216.72	216.16	215.69	215.29
G174.0	222.19	221.29	220.64	220.18	219.80	219.40	218.98
G175.0	224.69	224.01	223.56	223.27	223.06	222.86	222.67
G176.0	227.26	226.82	226.49	226.24	226.04	225.87	225.72
G177.0	229.38	229.01	228.72	228.51	228.38	228.37	228.37
G178.0	231.16	231.06	230.91	230.73	230.58	230.56	230.55
G179.0	232.79	232.74	232.72	232.71	232.68	232.64	232.58
G180.0	234.38	234.38	234.38	234.38	234.38	234.38	234.38

Luminaire

Code 05-E026-34-EH
Name NEMESIS
Measurem.
Code 05-E026-34-EH
Name NEMESIS


Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

168mm x 70mm






C Halfplanes

180.0 ————— 0.0
270.0 ————— 90.0



Luminaire							
Code	05-E026-34-EH						
Name	NEMESIS						
Measurem.							
Code	05-E026-34-EH						
Name	NEMESIS						
Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

168mm x 70mm



Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Working Plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room Dimensions										
Lateral View					Viewed Endwise					
x=2H y=2H	20.9	21.7	21.8	22.6	23.7	19.3	20.1	20.2	20.9	22.0
x=2H y=3H	22.0	22.7	22.9	23.6	24.8	20.4	21.1	21.3	22.0	23.1
x=2H y=4H	22.4	23.0	23.3	24.0	25.1	20.7	21.4	21.7	22.3	23.5
x=2H y=6H	22.6	23.2	23.5	24.1	25.3	20.9	21.5	21.8	22.4	23.6
x=2H y=8H	22.6	23.2	23.5	24.1	25.3	20.9	21.4	21.8	22.4	23.6
x=2H y=12H	22.6	23.1	23.5	24.0	25.3	20.9	21.4	21.8	22.3	23.6
x=4H y=2H	21.4	22.0	22.3	22.9	24.1	19.6	20.2	20.5	21.2	22.3
x=4H y=3H	22.6	23.2	23.6	24.1	25.3	20.9	21.4	21.8	22.3	23.6
x=4H y=4H	23.1	23.6	24.1	24.5	25.8	21.3	21.8	22.3	22.7	24.0
x=4H y=6H	23.4	23.8	24.3	24.7	26.0	21.6	21.9	22.5	22.9	24.2
x=4H y=8H	23.4	23.8	24.4	24.7	26.0	21.6	21.9	22.6	22.9	24.2
x=4H y=12H	23.4	23.7	24.4	24.7	26.0	21.5	21.9	22.6	22.9	24.2
x=8H y=4H	23.2	23.6	24.2	24.5	25.8	21.4	21.7	22.4	22.7	24.0
x=8H y=6H	23.5	23.8	24.6	24.8	26.2	21.7	22.0	22.7	23.0	24.3
x=8H y=8H	23.6	23.9	24.7	24.9	26.2	21.7	22.0	22.8	23.0	24.3
x=8H y=12H	23.6	23.9	24.7	24.9	26.2	21.7	21.9	22.8	23.0	24.3
x=12H y=4H	23.2	23.5	24.2	24.5	25.8	21.3	21.6	22.3	22.6	23.9
x=12H y=6H	23.5	23.8	24.6	24.8	26.1	21.7	21.9	22.7	22.9	24.3
x=12H y=8H	23.6	23.8	24.7	24.9	26.2	21.7	21.9	22.8	23.0	24.3

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurement

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG Asymmetrical	

Total Flux=833.56 Luminaire Flux=833.56

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.36	0.44	0.52	0.59	0.64	0.72	0.78	0.81	0.86	0.88	0.94	0.97
RC	4	4	4	4	4	4	4	4	4	4	3	3

Zonal Flux per 1000 Lumen


Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	22	82	166	258	346	419	469	495	500	505	531	581	654	742	834	918	978	1000

CIE Flux Codes

54 84 97 50 100

C.I.E. 4/4/4/4/4/4/4/4/3/3
D DIN 5040 C41
F UTE 0.50 D + 0.50 T
B NBN BZ 3 / 0.6 / BZ 4
RN 50.00000 %
BLF 1.0

LOR 100.00000 %
ULOR 50.00000 %
DLOR 50.00000 %
UFF 50.00000 %
DFF 50.00000 %
FFR 100.00000 %



Zonal Flux				
Gamma °	Flux	Sum lm	Flux [%]	Sum [%]
0°	0.00	0.00	0.00%	0.00 %
5°	5.58	5.58	0.56 %	0.56 %
10°	16.33	21.91	1.63 %	2.19 %
15°	25.99	47.89	2.60 %	4.79 %
20°	34.02	81.91	3.40 %	8.19 %
25°	40.06	121.97	4.01 %	12.20 %
30°	43.98	165.96	4.40 %	16.60 %
35°	46.03	211.99	4.60 %	21.20 %
40°	46.42	258.42	4.64 %	25.84 %
45°	45.24	303.65	4.52 %	30.37 %
50°	42.59	346.24	4.26 %	34.62 %
55°	38.68	384.92	3.87 %	38.49 %
60°	33.76	418.68	3.38 %	41.87 %
65°	28.13	446.81	2.81 %	44.68 %
70°	22.10	468.91	2.21 %	46.89 %
75°	15.88	484.79	1.59 %	48.48 %
80°	9.83	494.62	0.98 %	49.46 %
85°	4.47	499.09	0.45 %	49.91 %
90°	0.91	500.00	0.09 %	50.00 %
95°	0.91	500.91	0.09 %	50.09 %
100°	4.47	505.38	0.45 %	50.54 %
105°	9.83	515.21	0.98 %	51.52 %
110°	15.88	531.09	1.59 %	53.11 %
115°	22.10	553.19	2.21 %	55.32 %
120°	28.13	581.32	2.81 %	58.13 %
125°	33.76	615.08	3.38 %	61.51 %
130°	38.68	653.76	3.87 %	65.38 %
135°	42.59	696.35	4.26 %	69.63 %
140°	45.24	741.58	4.52 %	74.16 %
145°	46.42	788.01	4.64 %	78.80 %
150°	46.03	834.04	4.60 %	83.40 %
155°	43.98	878.03	4.40 %	87.80 %
160°	40.06	918.09	4.01 %	91.81 %
165°	34.02	952.11	3.40 %	95.21 %
170°	25.99	978.09	2.60 %	97.81 %
175°	16.33	994.42	1.63 %	99.44 %
180°	5.58	1000.00	0.56 %	100.00 %

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG Asymmetrical	

Utilizations CIE

Mounting	Direct			Normalization			Normalised			Suspension Ratid/3							Standard CIE Settings						
	Ceiling																						
K	8873	8773	8871	8771	7773	7771	7753	7553	7751	7551	7731	7331	7711	7111	5551	5531	5331	5511	5111	3331	3311	1111	0000
0.60	547	492	510	460	468	439	414	352	396	338	367	277	346	236	316	296	262	282	225	248	237	205	188
0.80	605	555	547	505	527	482	469	410	438	385	405	322	381	279	360	338	305	321	266	289	277	243	222
1.00	644	599	568	532	570	509	510	455	465	418	433	357	407	312	391	368	338	350	298	321	307	274	250
1.25	678	639	583	552	608	530	549	498	489	447	457	389	431	345	420	397	369	379	330	352	337	304	278
1.50	703	668	591	565	636	544	579	532	505	468	475	413	450	371	442	419	393	401	356	375	361	329	300
2.00	735	707	598	578	674	558	623	583	526	496	499	448	476	410	470	450	428	433	394	410	397	366	333
2.50	756	732	600	584	699	567	653	618	539	514	515	471	494	436	489	471	452	455	421	434	422	393	357
3.00	771	750	601	588	717	571	675	644	547	526	488	507	456	502	486	469	471	441	451	440	413	375	
4.00	790	774	602	592	741	578	706	681	558	542	541	511	525	484	520	506	493	494	469	476	466	441	400
5.00	803	789	602	594	756	581	726	705	565	551	550	525	537	502	531	519	508	508	487	491	483	460	417
10.00	828	821	601	597	788	587	771	759	578	571	570	557	562	543	554	547	541	541	529	527	522	504	455
20.00	841	838	600	598	805	589	796	789	585	581	580	574	576	566	566	563	559	559	553	546	543	528	476

Wall

K	8873	8773	8871	8771	7773	7771	7753	7553	7751	7551	7731	7331	7711	7111	5551	5531	5331	5511	5111	3331	3311	1111	0000
0.60	370	340	322	297	324	284	255	226	229	204	192	157	165	127	191	162	149	141	121	141	124	111	96
0.80	426	396	360	336	373	318	304	273	266	239	228	190	200	157	220	191	177	169	147	165	147	130	111
1.00	465	435	383	360	408	340	340	308	290	264	253	215	225	180	240	212	197	190	166	181	164	143	121
1.25	499	472	400	381	439	357	375	343	312	287	277	239	249	203	257	231	216	210	186	196	179	154	129
1.50	525	499	412	394	462	369	401	371	328	304	295	258	268	223	270	246	231	225	201	207	191	163	135
2.00	554	532	421	406	490	378	436	407	344	324	315	282	291	248	283	262	249	244	221	218	204	171	139
2.50	573	554	424	412	507	383	459	433	353	335	328	298	306	267	291	272	260	256	234	225	213	176	140
3.00	585	568	425	415	518	384	475	451	359	343	336	308	316	280	295	278	267	263	243	229	218	178	140
4.00	603	589	429	421	535	389	500	479	368	355	350	326	333	301	303	290	280	277	259	237	227	183	142
5.00	616	604	432	425	547	393	517	499	375	364	359	339	344	317	309	297	289	286	271	243	234	187	144
10.00	641	634	435	432	572	398	554	543	388	382	379	366	370	352	321	314	309	307	297	254	249	195	147
20.00	648	644	430	428	578	393	568	562	388	384	383	376	378	368	320	316	313	313	307	254	251	193	141

Working Pl.

K	8873	8773	8871	8771	7773	7771	7753	7553	7751	7551	7731	7331	7711	7111	5551	5531	5331	5511	5111	3331	3311	1111	0000
0.60	483	451	451	423	431	406	348	319	335	308	287	252	253	216	291	253	240	225	208	230	207	193	179
0.80	583	549	537	509	520	484	434	400	414	383	364	321	326	278	356	317	301	288	264	284	260	239	222
1.00	662	628	604	576	591	545	506	469	478	446	429	381	390	335	410	372	354	342	314	330	306	278	258
1.25	737	704	665	638	659	603	577	538	541	508	492	442	454	394	462	426	407	397	366	375	352	316	294
1.50	794	762	709	685	710	645	633	594	588	556	542	492	504	443	502	468	449	440	408	410	388	345	320
2.00	876	847	772	751	785	706	717	680	657	628	617	569	582	522	562	532	513	507	475	463	444	391	361
2.50	930	904	811	793	835	745	774	740	703	677	667	622	636	578	602	576	558	553	522	499	482	420	388
3.00	968	945	839	823	871	772	816	784	735	712	703	662	675	620	630	607	590	586	557	524	509	442	407
4.00	1000	998	872	860	917	806	872	844	776	757	750	715	726	678	666	647	633	630	604	557	544	468	429
5.00	1000	1000	893	883	946	826	907	883	802	785	779	749	759	717	689	672	660	658	634	577	566	484	442
10.00	1000	1000	935	930	1000	869	986	972	856	847	843	825	831	805	737	728	720	719	705	621	615	518	471
20.00	1000	1000	957	954	1000	892	1000	1000	885	880	878	868	872	857	763	758	754	754	746	645	642	537	486

LM53 SHR C0-C180: 0.748 SHR C90-C270: 1.202 SHR Square: 0.977

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.


Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG Asymmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	0.56	1.12	1.68	2.24	2.80	OC	1.24	2.48	3.72	4.96	6.20
OB	1.24	2.47	3.71	4.94	6.18	OD	1.15	2.31	3.46	4.62	5.77

	0	5	15	25	35	45	55	65	75	85
OA	195.37	185.44	148.15	96.71	60.08	41.89	29.51	19.10	9.67	1.94
OB	195.37	199.28	194.81	182.25	160.71	129.94	93.37	57.87	26.82	4.04
OC	195.37	195.12	186.73	170.10	145.72	115.94	83.90	52.92	26.32	5.82
OD	195.37	194.27	183.96	165.41	139.78	109.14	76.68	46.68	20.78	2.38



H[m]	D[m]	Max lux	Med lux	Alpha=47.3°+30.4°	G=-6.0	
1.00	1.79	197	64			
2.00	3.59	49	16			
3.00	5.38	22	7			
4.00	7.18	12	4			
5.00	8.97	8	3			

H[m]	D[m]	Max lux	Med lux	Beta=48.9°+51.0°	G=0.0	
1.00	2.39	197	64			
2.00	4.79	49	16			
3.00	7.18	22	7			
4.00	9.57	12	4			
5.00	11.97	8	3			


Luminaire

Code 05-E026-34-EH
Name NEMESIS
Measur.
Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

Isolux (Floor)


Luminaire position X=0.00m Y=0.00m Z=2.50m



Luminaire
Code 05-E026-34-EH
Name NEMESIS
Measurem.
Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

Luminance



Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurment

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux		833.56 lm		Luminaire Power		12.60 W		Efficacy		66.16 lm/W		Efficiency		100.00%	
Sources Flux		833.56 lm		Maximum value		239.81 cd/klm		Position		C=150.00 G=6.00		CG		Asymmetrical	
Luminance cd/m2														Table 1/3	
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00		
G 0.0	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36
G 5.0	26593.23	26639.94	26688.27	26776.85	26965.01	27244.27	27494.56	27589.49	27742.26	27980.89	28123.36	28228.00	28329.53	28329.53	28329.53
G 10.0	24511.06	24660.23	24818.71	25083.76	25567.11	26095.56	26542.72	26933.44	27410.80	27897.54	28162.30	28344.17	28508.13	28508.13	28508.13
G 15.0	21910.68	22147.84	22471.44	22980.96	23735.07	24581.73	25412.53	26216.69	26984.37	27616.22	27995.24	28279.67	28493.61	28493.61	28493.61
G 20.0	18670.42	19064.45	19581.06	20378.41	21550.35	22804.19	24007.12	25234.82	26369.39	27244.88	27768.67	28120.73	28363.21	28363.21	28363.21
G 25.0	15244.29	15638.85	16297.12	17404.75	18984.40	20723.83	22417.49	24049.56	25595.79	26812.23	27407.75	27749.76	28035.87	28035.87	28035.87
G 30.0	12389.32	12750.62	13359.29	14470.89	16239.71	18386.17	20598.24	22686.73	24636.09	26167.11	26905.71	27305.41	27616.79	27616.79	27616.79
G 35.0	10477.06	10745.23	11209.28	12134.50	13773.25	16046.40	18672.79	21287.75	23658.22	25412.48	26234.10	26697.38	27102.55	27102.55	27102.55
G 40.0	9281.38	9477.66	9804.55	10485.41	11806.80	13928.37	16688.01	19657.26	22486.93	24593.71	25473.92	25938.82	26412.64	26412.64	26412.64
G 45.0	8462.19	8615.92	8872.25	9384.51	10377.39	12149.86	14789.06	18035.86	21168.50	23424.18	24423.10	24997.20	25552.96	25552.96	25552.96
G 50.0	7877.16	8004.02	8202.05	8594.56	9372.31	10789.59	13122.34	16412.92	19752.39	22181.53	23267.29	23897.16	24517.15	24517.15	24517.15
G 55.0	7348.87	7478.57	7651.87	7976.25	8621.29	9760.42	11753.79	14873.43	18292.32	20895.51	21999.02	22644.41	23332.02	23332.02	23332.02
G 60.0	6872.31	7018.59	7182.48	7464.47	8023.43	8938.99	10614.30	13493.65	16805.85	19399.89	20521.30	21241.92	21984.94	21984.94	21984.94
G 65.0	6455.92	6621.70	6780.57	7024.17	7506.35	8256.33	9650.45	12186.36	15314.86	17888.07	18962.72	19690.01	20482.23	20482.23	20482.23
G 70.0	5969.24	6139.81	6280.74	6502.26	6981.74	7632.63	8780.99	10991.66	13846.18	16266.85	17295.60	18028.22	18779.48	18779.48	18779.48
G 75.0	5339.34	5535.37	5682.20	5889.87	6342.40	6911.11	7863.94	9748.47	12301.21	14530.10	15444.29	16083.60	16708.35	16708.35	16708.35
G 80.0	4446.66	4690.46	4854.41	5049.26	5474.05	5948.74	6693.79	8255.45	10467.81	12390.55	13031.14	13488.86	13971.43	13971.43	13971.43
G 85.0	3186.42	3526.46	3677.23	3807.86	4253.90	4628.32	5047.80	6166.15	7996.10	9543.94	9595.62	9812.91	10166.55	10166.55	10166.55
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurerm.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG	Asymmetrical

Luminance cd/m2 Table 2/3

	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36
G 5.0	28397.64	28484.67	28577.98	28604.88	28597.45	28576.71	28536.93	28514.34	28474.03	28354.06	28302.13	28282.07	28110.28
G 10.0	28588.82	28671.36	28757.05	28759.07	28766.72	28779.39	28743.63	28706.84	28657.37	28540.14	28464.32	28384.38	28133.84
G 15.0	28541.58	28651.15	28808.46	28776.71	28771.81	28811.95	28748.02	28684.46	28630.59	28491.50	28397.45	28285.15	27944.15
G 20.0	28439.71	28551.86	28703.28	28715.29	28752.88	28807.86	28722.51	28638.21	28560.46	28356.80	28188.61	28052.55	27755.84
G 25.0	28186.85	28354.39	28549.25	28636.05	28698.13	28728.01	28623.66	28488.47	28316.35	28026.09	27867.34	27756.08	27328.94
G 30.0	27763.22	27995.56	28274.79	28323.61	28399.75	28508.42	28383.47	28222.15	28054.48	27722.28	27448.83	27220.77	26771.69
G 35.0	27339.54	27635.55	27936.03	27942.46	27974.21	28027.59	27893.87	27759.98	27618.93	27269.81	26925.48	26598.15	26062.86
G 40.0	26705.05	27025.71	27320.24	27287.00	27272.00	27291.07	27171.93	27039.43	26877.94	26536.23	26202.33	25842.79	25211.51
G 45.0	25880.47	26196.95	26430.41	26291.34	26211.76	26251.40	26083.94	26042.22	26054.41	25676.82	25258.73	24860.29	24161.30
G 50.0	24897.14	25168.16	25277.75	25045.05	24883.32	24873.20	24741.12	24716.30	24759.46	24540.70	24158.46	23656.53	22936.58
G 55.0	23713.76	23925.44	23929.27	23554.50	23294.98	23256.32	23127.46	23142.53	23242.18	23065.45	22774.08	22339.31	21517.14
G 60.0	22270.29	22405.68	22382.28	21901.40	21574.95	21510.90	21291.23	21315.57	21558.11	21508.71	21260.30	20800.11	19947.10
G 65.0	20726.83	20753.19	20618.66	20072.75	19689.25	19563.28	19310.94	19362.63	19638.90	19556.19	19375.78	19054.62	18205.80
G 70.0	18868.78	18796.42	18613.02	17912.57	17457.59	17359.10	17059.96	17099.14	17408.55	17303.33	17167.17	16967.21	16186.31
G 75.0	16623.38	16443.24	16219.40	15442.59	14932.97	14800.87	14424.93	14421.51	14712.13	14535.53	14409.33	14369.93	13712.33
G 80.0	13670.47	13349.24	13081.40	12231.08	11665.85	11478.27	10966.31	10851.05	11083.39	10840.71	10720.14	10748.78	10236.95
G 85.0	9489.36	8909.36	8543.01	7436.70	6772.64	6616.48	5883.79	5566.02	5544.44	5136.50	5103.23	5419.43	5094.16
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire

Code 05-E026-34-EH
Name NEMESIS

Measurem.

Code 05-E026-34-EH
Name NEMESIS

Luminaire Flux	833.56 lm	Luminaire Power	12.60 W	Efficacy	66.16 lm/W	Efficiency	100.00%
Sources Flux	833.56 lm	Maximum value	239.81 cd/klm	Position	C=150.00 G=6.00	CG Asymmetrical	

Luminance cd/m2 Table 3/3

	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00	C 310.00	C 320.00	C 330.00	C 340.00	C 350.00
G 0.0	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36	27910.36
G 5.0	27952.90	27858.51	27702.88	27500.28	27281.63	27062.85	26879.53	26743.85	26645.75	26607.81
G 10.0	27842.61	27571.04	27238.59	26789.40	26291.90	25868.83	25404.29	24955.65	24732.20	24618.46
G 15.0	27570.22	27206.40	26666.57	25884.43	25011.99	24289.06	23575.16	22869.22	22362.90	22070.72
G 20.0	27308.09	26734.73	25987.00	24884.13	23559.24	22369.67	21196.50	20091.62	19330.11	18902.72
G 25.0	26764.46	26073.21	25009.74	23543.21	21850.58	20189.39	18546.70	17075.82	16082.11	15534.18
G 30.0	26154.63	25294.44	23953.15	22097.10	19935.02	17799.49	15772.58	14103.19	13133.46	12655.55
G 35.0	25365.18	24377.81	22790.33	20546.92	17928.32	15430.96	13332.38	11833.20	11027.32	10662.01
G 40.0	24430.09	23333.25	21477.15	18848.01	15892.16	13313.07	11439.99	10295.16	9687.06	9408.97
G 45.0	23277.90	22049.38	20018.00	17128.41	13999.99	11605.49	10049.56	9166.87	8743.32	8559.61
G 50.0	21987.44	20612.87	18465.72	15463.19	12343.03	10262.24	9053.48	8374.86	8052.33	7925.86
G 55.0	20486.92	19097.34	16883.05	13910.03	11002.24	9243.76	8291.39	7746.09	7503.05	7406.11
G 60.0	18882.84	17466.80	15276.30	12447.15	9814.72	8387.12	7661.63	7207.74	7015.54	6937.29
G 65.0	17136.10	15778.30	13683.21	11102.43	8828.32	7671.43	7097.86	6712.90	6557.60	6502.87
G 70.0	15123.48	13819.31	11965.38	9752.57	7843.22	6927.27	6462.09	6114.01	6003.59	5989.78
G 75.0	12682.09	11468.18	9994.57	8241.35	6687.40	5994.68	5653.39	5383.92	5372.39	5357.54
G 80.0	9371.40	8428.55	7464.44	6241.57	5095.53	4700.81	4533.65	4355.20	4421.11	4473.52
G 85.0	4421.05	3897.92	3710.82	3355.94	2886.00	2882.67	2866.60	2821.89	2965.04	3120.14
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00